

SERVICE WOOLLIES

HEAVY CARDIGAN
See Page 17

by
Beehive

(NEW ENLARGED EDITION)


*With
Special
Supplement*

WOMEN'S
SERVICE
COMFORTS
also
HOSPITAL
COMFORTS



PRICE
15¢

PATONS & BALDWIN'S LIMITED • TORONTO 10



SERVICE WOOLLIES

(NEW ENLARGED EDITION)

by *Beehive*

INDEX

Service Comforts

WAISTCOAT

	Page
with buttons—sleeveless.....	4
" " and sleeves.....	4
" "Zipper" fastener—sleeveless.....	5
" " and sleeves.....	5

HEAVY SLEEVELESS PULLOVER

with "V" neck.....	5
" Round neck.....	6
" Boat neck.....	6

HEAVY TURTLE NECK PULLOVER

with Stocking st. yoke and sleeves.....	23
" Cable st. yoke and sleeves.....	24

PULLOVER WITH SLEEVES

and with Turtle neck.....	6
" "V" neck.....	7
" Boat neck.....	7
" Round neck.....	7

PULLOVER WITHOUT SLEEVES

and with Turtle neck.....	7
" Round neck.....	7
" Boat neck.....	8
" "V" neck.....	8

HEAVY CARDIGAN

with buttons.....	17
" "Zipper" fastener.....	17

SOCKS

of Super Service Yarn.....	13
Heavy socks.....	14
Medium weight socks.....	14
Seaman's socks.....	16
Seaman's long stockings.....	18
Knee Length stockings.....	16

HELMETS

Aero helmet.....	19
Aero Cap (illustrated with pullover).....	23
Balaclava.....	22
Cap.....	19
Peaked Helmet.....	22
Steel Helmet Cap.....	22
Quebec Helmet.....	19

MITTS AND GLOVES

	Page
Plain Mitts.....	11
Half Mitts without finger sections.....	10
" " with finger sections.....	11
Two-way Mitts.....	12
Rifle Mitts with finger and thumb.....	12
" " half finger and thumb.....	12
Gloves.....	11
Wristlets.....	10

SCARVES

Plain knitted scarf.....	8
Double scarf.....	8
Brioche scarf.....	9
Basket Weave scarf.....	8
Seaman's scarf.....	12
Turtle Neck Tuck-in.....	18

KNEE CAPS

Heavy weight.....	16
Medium weight.....	30

Hospital Comforts

Convalescent Jacket.....	25
Hospital Stockings.....	26
Hospital Stockings, heel-less.....	30
Bed Socks.....	26
Bed Socks, heel-less.....	27
Body Belt.....	27
Shoulder wraps.....	30
Amputation Covers.....	28
Head bandage cover.....	26

Women's Service Comforts

CARDIGAN

without sleeves.....	32
with sleeves.....	38

PULLOVER

without sleeves.....	33
with "V" neck and sleeves.....	34
with Round neck and sleeves.....	35

Scarf in Moss st.....	32
Ankle Socks.....	33
Calot.....	37
Long Stockings.....	37
Knee Stockings.....	18
Knickers.....	36
Gloves.....	36

In case of difficulty write to

PATONS & BALDWINS LIMITED • TORONTO 10

Service Comforts



A



B



C



D

A—WAISTCOAT with buttons, with or without sleeves—See page 4.

B—WAISTCOAT with "Zipper" fastener, with or without sleeves—See page 5.

C—PULLOVER with Turtle, Round, "V" or Boat neck with or without sleeves—See page 6.

D—HEAVY SLEEVELESS PULLOVER with "V", Round or Boat neck—See page 5.

**A—WAISTCOAT** with or without sleeves, with buttons or "Zipper" fastener.

MATERIALS: 4 ply BEEHIVE FINGERING. 9 ozs. (40—9 ozs.) (42—10 ozs.). 4 ozs. extra for long sleeves.

Alternative wool: 4 ply MISS CANADA FINGERING. 9 ozs. (40—9 ozs.) (42—10 ozs.). 4 ozs. extra for long sleeves. Two No. 10 Beehive Knitting Needles. 5 Buttons or one 16-inch "Zipper" Fastener. One Stitch Holder.

MEASUREMENTS:

	Chest	38 ins.	40 ins.	42 ins.
Length from top of shoulder	24 "	24½ "	24½ "	
Length of sleeve underarm seam (cuff turned up)	18 "	18 "	18 "	

Tension: 7½ sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().

WAISTCOAT with buttons and without sleeves. (Illustrated on page 3).

BACK: Cast on 128 sts. (40—134 sts.) (42—142 sts.). Work 1 inch ribbing (K1. P1). Continue even in Stocking st. until work measures 14½ ins. from beginning ending with purl row. (all sizes).

To shape armholes: 1st row: (K1. P1) 7 times. Knit to last 14 sts. (P1. K1) 7 times. 2nd row: K2. (P1. K1) 6 times. Purl to last 14 sts. (K1. P1) 6 times. K2. (40 as 38).

(42—1st row: (K1. P1) 8 times. Knit to last 16 sts. (P1. K1) 8 times. 2nd row: K2. (P1. K1) 7 times. Purl to last 16 sts. (K1. P1) 7 times. K2).

Repeat these 2 rows for 1 inch ending with 2nd row. (all sizes). Next row: Cast off 6 sts. in ribbing. (40—6 sts.) (42—8 sts.). (K1. P1) 4 times. Work in pattern to end of row. Next row: Cast off 6 sts. in ribbing. (40—6 sts.) (42—8 sts.). (P1. K1) 4 times. Work in pattern to end of row. Keeping 8 sts. in ribbing each end of needle, dec. 1. st. each end of needle inside ribbing every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.). Keeping ribbed borders at armhole edges continue even in Stocking st. until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.).

To shape shoulders: Cast off 8 sts. beginning next 8 rows. (40 as 38) (42—Cast off 9 sts. beginning next 4 rows, then 8 sts. beginning following 4 rows). Cast off remaining sts.

LEFT FRONT: Cast on 72 sts. (40—76 sts.) (42—80 sts.). 1st row: *K1. P1. Repeat from * to last 2 sts. K2. Repeat 1st. row once. 3rd row: (1st. buttonhole) *K1. P1. Repeat from * to last 10 sts. (K1. P1) twice. Cast off 2 sts. K1. P1. K2. 4th row: (K1. P1) twice. Cast on 2 sts. Rib to end of row. Continue in ribbing until work measures 1 inch from beginning. Keeping a ribbed border of 10 sts. at Front edge and working 2nd buttonhole 3½ ins. above 1st. continue even in Stocking st. until work measures 4½ ins. from beginning ending at side edge.

To shape pocket edge: 1st row: K10. (40—K12) (42—K14). (K1. P1) 15 times. Knit to last 10 sts. (K1. P1) 4 times. K2. 2nd row: (K1. P1) 5 times. P22. (40—P24) (42—P26). (K1. P1) 15 times. Purl to last st. K1. Repeat 1st. and 2nd rows once, then 1st. row once. 6th row: (K1. P1) 5 times. P22. (40—P24) (42—P26). Cast off 30 sts. in ribbing. Purl to last st. K1. Leave these sts. on st. holder until pocket piece has been worked.

To make pocket piece: Cast on 30 sts. Work 4 ins. even in Stocking st. ending with purl row.

To insert pocket: Beginning again on sts. of Front work across row, working across pocket sts. instead of cast-off sts. Keeping ribbed border at Front edge and working 3 more buttonholes 3½ ins. apart, continue even in Stocking st. until work measures 14½ ins. from beginning ending with purl row. (all sizes).

To shape armhole: 1st row: (K1. P1) 7 times. (40—7 times) (42—8 times). Knit to last 10 sts. (K1. P1) 4 times. K2. 2nd row: (K1. P1) 5 times. Purl to last 14 sts. (K1. P1) 6 times. K2. (40 as 38) (42—Purl to last 16 sts. (K1. P1) 7 times. K2). Repeat these 2 rows for 1 inch ending with 2nd row. (all sizes). Next row: Cast off 6 sts. in ribbing. (40—6 sts.) (42—8 sts.). (K1. P1) 4 times. Knit to last 10 sts. (K1. P1) 4 times. K2. Keeping ribbed borders at both edges, dec. 1. st. inside border at armhole edge every alternate row 9 times. (40—11 times) (42—13 times), at same time when Front edge measures 16½ ins. proceed:—

To shape neck: Dec. 1. st. inside border at Front edge on next and every following 4th row to 42 sts. on needle. (40—42 sts.) (42—44 sts.). Continue even until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.).

To shape shoulder: At armhole edge cast off 8 sts. every alternate row 4 times. (40 as 38) (42—Cast off 9 sts. every alternate row twice then 8 sts. twice). Work 2½ ins. ribbing on remaining 10 sts. Cast off in ribbing.

RIGHT FRONT: Work to correspond to Left Front, omitting buttonholes and being careful to have all shapings for opposite side.

TO MAKE UP: Press all pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew buttons to correspond to buttonholes.

A—WAISTCOAT with buttons and sleeves. (Not illustrated).

MATERIALS and **MEASUREMENTS.**
(See left column).

BACK: Work exactly as given for Back of Waistcoat with Buttons and without Sleeves, working the length to armhole 16 ins. instead of 14½ ins. Omitting ribbed borders at armhole edges, shape armholes exactly the same. Continue even in Stocking st. until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.). Shape shoulders as given for sleeveless, buttoned Waistcoat.

LEFT FRONT: Work exactly as given for Left Front of Waistcoat with Buttons and without Sleeves, working the length to armhole 16 ins. instead of 14½ ins. and omitting ribbed border at armhole edge, shape armhole exactly the same. Continue armhole shaping and shoulder shaping to correspond, working armhole 8 ins. (40—8½ ins.) (42—8½ ins.) from first shaping before shaping shoulder.

RIGHT FRONT: Work exactly as given for Left Front omitting buttonholes and being careful to have all shapings for opposite side.

SLEEVES: (Sizes 40 and 42 are written exactly the same). Cast on 64 sts. (40—70 sts.). Work 7 ins. ribbing (K1. P1) inc. in last row to 72 sts. (40—78 sts.). Continue in Stocking st. inc. 1. st. each end of needle on next and every following 8th row to 102 sts. on needle. (40—110 sts.). Continue even until sleeve measures 21 ins. from beginning or desired length. (all sizes). This allows for a 3-inch turned up cuff.

To shape cap: Cast off 2 sts. beginning every row to 38 sts. on needle. (all sizes). Cast off remaining sts.

(Continued on page 5)

**WAISTCOAT with buttons and sleeves.***(Continued from page 4).*

TO MAKE UP: Press pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew buttons to correspond to buttonholes.

B—WAISTCOAT with “Zipper” fastener and sleeves. (Illustrated on page 3).

MATERIALS and MEASUREMENTS.
(See left column page 4).

BACK: Work exactly as given for Back of Waistcoat with Buttons and without Sleeves. (See page 4).

LEFT FRONT: Work exactly as given for Left Front of Waistcoat with “Zipper” Fastener and without Sleeves, (see below), working length to armhole 16 ins. instead of 14½ ins. and omitting ribbed border at armhole edge, and shaping armhole exactly the same. Continue armhole shaping and shoulder shaping to correspond, working armhole 8 ins. (40—8½ ins.) (42—8½ ins.) from first shaping before shaping shoulder.

RIGHT FRONT: Work exactly as given for Left Front being careful to have all shapings for opposite side.

SLEEVES: Work exactly as given for Sleeves of Waistcoat with Buttons and Sleeves. (See page 4).

TO MAKE UP: Press pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew in “Zipper” Fastener.

B—WAISTCOAT with “Zipper” fastener and without sleeves. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See left column page 4).

BACK: Work exactly as given for Back of Waistcoat with Buttons and without Sleeves. (See page 4).

LEFT FRONT: Cast on 68 sts. (40—72 sts.) (42—76 sts.). **1st row:** *K1. P1. Repeat from * to last 2 sts. K2. Repeat 1st. row for 1 inch. **Next row:** Knit to last 10 sts. (K1. P1) 4 times. K2. **Next row:** (K1. P1) 5 times. Purl to last st. K1. Repeat these last 2 rows until work measures 4½ ins. from beginning ending at side edge.

To shape pocket edge: **1st row:** K8. (40—K10) (42—K12). (K1. P1) 15 times. Knit to last 10 sts. (K1. P1) 4 times. K2. **2nd row:** (K1. P1) 5 times. P20. (40—P22) (42—P24). (K1. P1) 15 times. Purl to last st. K1. Repeat 1st. and 2nd rows once, then 1st. row once. **6th row:** (K1. P1) 5 times. P20. (40—P22) (42—P24). Cast off 30 sts. in ribbing. Purl to last st. K1. Leave these sts. on st. holder until pocket piece has been worked. Make and insert pocket piece and continue to correspond to Left Front of Sleeveless Buttoned Waistcoat, omitting buttonholes and decreasing at armhole edge 7 times, (40—9 times) (42—11 times) instead of 9 times, (40—11 times) (42—13 times).

RIGHT FRONT: Work to correspond to Left Front being careful to have all shapings for opposite side.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew in “Zipper” Fastener.

D—HEAVY SLEEVELESS PULL-OVER with “V”, Round or Boat Neck.

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 12 ozs. (40—14 ozs.) (42—14 ozs.).

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 12 ozs. (40—14 ozs.) (42—14 ozs.). Two No. 10 and two No. 9 Beehive Knitting Needles. One Stitch Holder.

MEASUREMENTS:

Chest 38 ins. 40 ins. 42 ins.
Length from top of shoulder 23 " 23½ " 23½ "

Tension: 5½ sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().

PULLOVER with “V” neck.*(Illustrated on page 3).*

FRONT: With No. 10 needles cast on 104 sts. (40—110 sts.) (42—114 sts.). Work 4 ins. ribbing (K1. P1). Change to No. 9 needles and continue even in Stocking st. until work measures 13½ ins. from beginning ending with purl row. (all sizes).

To shape armholes: **1st row:** Knit. **2nd row:** K16. (40—K17) (42—K17). Purl to last 16 sts. K16. (40—Purl to last 17 sts. K17) (42 as 40). Repeat these 2 rows 4 times. Proceed:—

1st row: Cast off 10 sts. (40—11 sts.) (42—11 sts.). Knit to end of row. **2nd row:** Cast off 10 sts. (40—11 sts.) (42—11 sts.). K6. Purl to last 6 sts. K6. **3rd row:** K6. K2tog. Knit to last 8 sts. K2tog. t.b.l. K6. **4th row:** K6. P29. K12. P29. K6. (40—K6. P31. K12. P31. K6) (42—K6. P33. K12. P33. K6). Keeping 12 sts. in centre in Garter st. continue in Stocking st. dec. 1. st. inside borders at armhole edges every alternate row 4 times, ending with purl row.

To shape neck: **1st row:** K6. K2tog. K29. (40—K31) (42—K33). Turn. Leave remaining sts. on st. holder. **2nd row:** K6. Purl to last 6 sts. K6. Keeping Garter st. borders at both edges dec. 1. st. inside border at armhole edge every alternate row twice. (40—4 times) (42—4 times), at same time dec. 1. st. inside border at neck edge on 3rd and every following 6th row to 24 sts. on needle. (40—24 sts.) (42—27 sts.). Continue even until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.).

To shape shoulder: Keeping border at neck edge, at armhole edge cast off 6 sts. (40—6 sts.) (42—7 sts.) every alternate row 3 times. Work 2½ ins. Garter st. on remaining 6 sts. Cast off.

Join wool at neck edge and work other side to correspond.

BACK: Work exactly as given for Front until the sts. are cast off at armhole. Keeping a border of 6 sts. in Garter st. at each side, dec. 1. st. inside border at each end of needle every alternate row to 68 sts. on needle. (40—68 sts.) (42—72 sts.). Continue even until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.).

To shape shoulders: Cast off 6 sts. (40—6 sts.) (42—7 sts.) beginning next 6 rows. Cast off remaining sts.

TO MAKE UP: Press pieces carefully. Sew seams. Sew ends of Garter st. border across back of neck.

**D—PULLOVER with Round neck.**

(Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column, page 5).**FRONT:** Work as given for Back of Heavy Pullover with "V" Neck to 68 sts. on needle. (40—68 sts.) (42—72 sts.), ending with knit row. (See page 5).**To shape neck: 1st row:** K6. P16. K24. P16. K6. (40 as 38) (42—K6. P18. K24. P18. K6). **2nd row:** Knit. Repeat these 2 rows 3 times. **9th row:** K6. P16. K6. Cast off 12 sts. K6. P16. K6. (40 as 38) (42—K6. P18. K6. Cast off 12 sts. K6. P18. K6). Working on last 28 sts. (40—28 sts.) (42—30 sts.) and keeping a border of 6 sts. in Garter st. at each side, dec. 1. st. inside border at neck edge on 3rd and every following 4th row to 24 sts. on needle. (40—24 sts.) (42—27 sts.). Continue even until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.). Shape shoulder as given for shoulder of Heavy Pullover with "V" Neck. Work 2½ ins. in Garter st. on remaining 6 sts. Cast off.

Join wool at neck edge and work other side to correspond.

BACK: Work as given for Back of Heavy Pullover with "V" Neck.**TO MAKE UP:** Press pieces carefully. Sew seams. Sew ends of Garter st. border across back of neck.**D—PULLOVER with Boat Neck.**

(Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column, page 5).**FRONT:** Work as given for Back of Heavy Pullover with "V" Neck to 68 sts. on needle. (40—68 sts.) (42—72 sts.), ending with knit row. (See page 5). **Next row:** K6. Purl to last 8 sts. P2tog. K6. Still keeping Garter st. border at each side continue even in Stocking st. until armhole from first shaping measures 5½ ins. (40—6 ins.) (42—6 ins.) ending with purl row. Proceed:—**1st row:** K7. *P1. K1. Repeat from * to last 6 sts. **K6. 2nd row:** K6. *P1. K1. Repeat from * to last 7 sts. P1. K6. Repeat these 2 rows for 3½ ins. (all sizes). Cast off loosely in ribbing.**BACK:** Work exactly as given for Front.**TO MAKE UP:** Press pieces carefully. Sew side seams. Sew shoulder seams for 3 ins. from armhole edges.**PULLOVER with Turtle neck. (Continued).****SLEEVES:** (Sizes 40 and 42 are written exactly the same). With No. 10 needles cast on 60 sts. (all sizes). Work 4 ins. ribbing (K1. P1) increasing in last row to 70 sts. on needle. (all sizes). Change to No. 9 needles and continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 6th row to 96 sts. on needle. (40—100 sts.). Continue even until sleeve measures 18 ins. from beginning, or desired length. (all sizes).**To shape cap:** Cast off 2 sts. beginning every row to 32 sts. on needle. (all sizes). Cast off.**TO MAKE UP:** Press pieces carefully. Sew all seams.**C—PULLOVER with Turtle, Round, "V" or Boat neck with or without sleeves.****MATERIALS:** 4 ply BEEHIVE FINGERING. 12 ozs. (40—12 ozs.) (42—13 ozs.). 3 ozs. less without sleeves. The pullover with Round, "V" or Boat neck requires 1 oz. less.**Alternative wool:** 4 ply MISS CANADA FINGERING. 12 ozs. (40—12 ozs.) (42—13 ozs.). 3 ozs. less without sleeves. The pullover with Round, "V" or Boat neck requires 1 oz. less. Two No. 10 and two No. 9 Beehive Knitting Needles. Set of 4 No. 10 "Aero" Steel Knitting Needles. (points at both ends), for Pullover with Turtle or Round Neck only. One Stitch Holder.**MEASUREMENTS:**

Chest	38 ins.	40 ins.	42 ins.
Length from top of shoulder	23 "	23½ "	23½ "
Length of sleeve underarm seam	18 "	18 "	18 "

Tension: 7 sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().

C—PULLOVER with Turtle neck and sleeves. (Illustrated on page 3).**FRONT:** With No. 10 needles cast on 114 sts. (40—122 sts.) (42—130 sts.). Work 4 ins. ribbing (K1. P1) inc. in last row to 128 sts. (40—134 sts.) (42—142 sts.). Change to No. 9 needles and continue even in Stocking st. until work measures 15 ins. from beginning ending with purl row. (all sizes).**To shape armholes:** Cast off 6 sts. (40—7 sts.) (42—8 sts.) beginning next 2 rows, then dec. 1. st. each end of needle every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.). Continue even until armhole from first shaping measures 7 ins. (40—7½ ins.) (42—7½ ins.) ending with purl row.**To shape neck:** K33. (40—K33) (42—K35). Turn. Working on these sts. dec. 1. st. at neck edge every alternate row 3 times. (all sizes). Continue even until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.).**To shape shoulder:** At armhole edge cast off 10 sts. every alternate row 3 times. (40 as 38) (42—Cast off 8 sts. every alternate row 4 times).

Slip next 32 sts. on st. holder and work on remaining sts. to correspond to other shoulder being careful to have all shapings for opposite side.

BACK: Work exactly as given for Front omitting neck shaping until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.) ending with purl row.**To shape shoulders:** Cast off 10 sts. beginning next 6 rows. (40 as 38) (42—Cast off 8 sts. beginning next 8 rows). Do not break wool.**COLLAR:** Sew shoulder seams. Using set of 4 needles with points at both ends knit across sts. at back of neck, pick up and knit 18 sts. along side of neck, knit across sts. at front of neck, pick up and knit 18 sts. along other side of neck. Working in rounds, work 5 ins. ribbing (K1. P1). Cast off in ribbing.

(Continued in left column)



C—PULLOVER with "V" neck and sleeves. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column page 6).

FRONT: Work exactly as given for Front of Pullover with Turtle Neck until work measures 15 ins. from beginning ending with purl row. (See page 6).

To shape armholes and neck: Cast off 6 sts. (40—7 sts.) (42—8 sts.) beginning next 2 rows. Dec. 1. st. each end of needle every alternate row 3 times ending with purl row. Proceed:—**1st row:** K2tog. K47. (40—K2tog. K49) (42—K2tog. K52). (K1. P1) 6 times. Knit to last 2 sts. K2tog. **2nd row:** K1. P47. (40—K1. P49) (42—K1. P52). (K1. P1) 6 times. Purl to last st. K1. Keeping 12 sts. in ribbing in centre of work dec. 1. st. each end of needle every alternate row 3 times ending with purl row. **9th row:** K2tog. K43. (40—K2tog. K45) (42—K2tog. K48). (K1. P1) 3 times. Turn. Leave remaining sts. on st. holder. **10th row:** (K1. P1) 3 times. Purl to last st. K1. Keeping ribbed border at neck edge, continue in Stocking st. dec. 1. st. at armhole edge every alternate row once. (40—3 times) (42—4 times), at same time dec. 1. st. inside border at neck edge on 5th and every following 4th row to 36 sts. on needle. (40—36 sts.) (42—38 sts.). Continue even until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.).

To shape shoulder: Keeping ribbed border at neck edge, at armhole edge cast off 10 sts. every alternate row 3 times. (40 as 38) (42—Cast off 8 sts. every alternate row 4 times). Work 2½ ins. ribbing on remaining 6 sts. Cast off. Join wool at neck edge and work other side to correspond.

BACK: Work exactly as given for Back of Pullover with Turtle Neck, casting off remaining sts. after shoulders are shaped.

SLEEVES: Work exactly as given for Sleeves of Pullover with Turtle Neck.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew ends of ribbing across back of neck.

C—PULLOVER with Boat neck and sleeves. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column, page 6).

FRONT: Work exactly as given for Front of Pullover with Turtle Neck to 98 sts. on needle. (40—98 sts.) (42—102 sts.) ending with knit row. (See page 6). **Next row:** K1. Purl to last 2 sts. K2tog. Continue even in Stocking st. until armhole from first shaping measures 5 ins. (40—5½ ins.) (42—5½ ins.) ending with purl row. Proceed:—

1st row: K1. *P1. K1. Repeat from * to end of row. **2nd row:** K2. *P1. K1. Repeat from * to last st. K1. Repeat these 2 rows for 3 ins. (all sizes).

To shape shoulders: Keeping continuity of ribbing, cast off 8 sts. beginning next 6 rows. Cast off remaining sts. loosely in ribbing.

BACK: Work exactly as given for Front.

SLEEVES: Work exactly as given for Sleeves of Pullover with Turtle Neck.

TO MAKE UP: Press all pieces carefully. Sew all seams.

C—PULLOVER with Round neck and sleeves. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column, page 6).

FRONT: Work exactly as given for Front of Pullover with Turtle Neck until armhole from first shaping measures 6 ins., (40—6½ ins.) (42—6½ ins.) ending with purl row. (See page 6).

To shape neck: K36. (40—K36) (42—K38). Turn. Working on these sts. dec. 1. st. at neck edge every alternate row 6 times. (all sizes). Continue even until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.). Shape shoulder as given for shoulder of Pullover with Turtle Neck.

Slip next 26 sts. on st. holder and work other shoulder to correspond.

BACK: Work exactly as given for Back of Pullover with Turtle Neck. Do not break wool.

NECKBAND: Sew shoulder seams. Using set of 4 needles with points at both ends, knit across sts. at back of neck, pick up and knit 22 sts. along side of neck, knit across sts. at front of neck, pick up and knit 22 sts. along other side of neck. Working in rounds, work 1 inch ribbing (K1. P1). Cast off in ribbing.

SLEEVES: Work exactly as given for Sleeves of Pullover with Turtle Neck.

TO MAKE UP: Press pieces carefully. Sew all seams.

C—SLEEVELESS PULLOVER with Turtle or Round neck. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See right column, page 6).

FRONT: **Work either Pullover exactly as given for Front of Pullover with Turtle Neck and sleeves until work measures 13½ ins. from beginning ending with purl row. (all sizes). (See page 6).

To shape armholes: **1st row:** (K1. P1) 6 times. Knit to last 12 sts. (P1. K1) 6 times. **2nd row:** K2. (P1. K1) 5 times. Purl to last 12 sts. (K1. P1) 5 times. K2. (40 as 38).

(42—**1st row:** (K1. P1) 7 times. Knit to last 14 sts. (P1. K1) 7 times. **2nd row:** K2. (P1. K1) 6 times. Purl to last 14 sts. (K1. P1) 6 times. K2).

Repeat these 2 rows for 1 inch ending with 2nd row. (all sizes). **Next row:** Cast off 6 sts. (40—6 sts.) (42—8 sts.) in ribbing. (K1. P1) 3 times. Work in pattern to end of row. **Next row:** Cast off 6 sts. (40—6 sts.) (42—8 sts.) in ribbing. (P1. K1) 3 times. Work in pattern to end of row.** Keeping ribbed borders at armhole edges dec. 1. st. each end of needle inside borders every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.). Continue to correspond to Front of Pullover with Turtle Neck and Sleeves, working Turtle Neck when armhole measures 7½ ins. (40—8 ins.) (42—8 ins.) or Round neck when armhole measures 6½ ins. (40—7 ins.) (42—7 ins.) and shoulders when armhole measures 8½ ins. (40—9 ins.) (42—9 ins.). (either style).

BACK: Work either Pullover exactly as given for Front, omitting neck shaping, until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.). (either style). Shape shoulders as given for Back of Pullover with Turtle Neck. Work Turtle Collar as given for Pullover with Turtle Neck and Sleeves, (See page 6), Neckband as given for Pullover with Round Neck and Sleeves. (See above).

TO MAKE UP: Press pieces carefully. Sew side seams.

**C—DOUBLE SCARF**

MATERIALS: 4 ply BEEHIVE FINGERING. 8 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 8 ozs. Two No. 7 Beehive Knitting Needles.

MEASUREMENTS: Length 46 ins. Width 10 ins.

Tension: 6 sts. = 1 inch.

Check tension—see page 38.

Cast on 118 sts. **1st row:** *K1. Wl. fwd. Slip the next st. purlways. Wool back. Repeat from * to last 2 sts. K1. Wl. fwd. Slip the last st. purlways. Repeat this row until work measures 46 ins. from beginning.

To cast off: (K2tog) twice. Pass the 1st. st. over the 2nd. *K2tog. Pass the 1st. st. over the 2nd. Repeat from * to end of row.

FRINGE: Work exactly as given for Fringe of Plain Knitted Scarf. (See right column).

B—BASKET WEAVE SCARF

MATERIALS: 4 ply BEEHIVE FINGERING. 5 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 5 ozs. Two No. 8 Beehive Knitting Needles.

MEASUREMENTS: Length 46 ins. Width 12 ins.

Tension: 6½ sts. = 1 inch.

Check tension—see page 38.

Cast on 77 sts. Work 1 inch Moss st. inc. 1. st. in last row. Proceed:—

****1st row:** Work 7 sts. Moss st. *P4. K4. Repeat from * to last 7 sts. Work 7 sts. Moss st. Repeat 1st. row 3 times. **5th row:** Work 7 sts. Moss st. *K4. P4. Repeat from * to last 7 sts. Work 7 sts. Moss st. Repeat 5th row 3 times. ** Repeat from ** to ** until work measures approx. 45 ins. from beginning ending with 4th pattern row, dec. 1. st. in last row. Work 1 inch Moss st. Cast off.

C—SLEEVELESS PULLOVER with Boat neck. (Not illustrated).

MATERIALS and MEASUREMENTS.

(See right column, page 6).

FRONT: Work from ** to ** as given for Sleeveless Pullover with Turtle Neck. (See page 7). Keeping ribbed borders at armhole edges, dec. 1. st. each end of needle inside borders every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.) ending with knit row. **Next row:** K2. (P1. K1) twice. Purl to last 8 sts. P2tog. (K1. P1) twice. K2. Still keeping ribbed borders continue even in Stocking st. until armhole from first shaping measures 5½ ins. (40—6 ins.) (42—6 ins.) ending with purl row. Proceed:—

1st row: K1. *P1. K1. Repeat from * to end of row. **2nd row:** K2. *P1. K1. Repeat from * to last st. K1. Repeat these 2 rows for 3½ ins. (all sizes). Cast off loosely in ribbing.

BACK: Work exactly as given for Front.

TO MAKE UP: Press all pieces carefully. Sew side seams. Sew shoulder seams for 3 ins. from armhole edges.

A—PLAIN KNITTED SCARF

MATERIALS: 4 ply BEEHIVE FINGERING. 6 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 6 ozs. Two No. 10 Beehive Knitting Needles. One Medium Crochet Hook.

MEASUREMENTS: Length 46 ins. Width 12 ins.

Tension: 7½ sts. = 1 inch.

Check tension—see page 38.

Cast on 76 sts. Knit 44 ins. in plain knitting. (Garter st.). Cast off.

THE FRINGE: Wind the wool over a piece of cardboard 4 ins. wide and cut through one edge. Taking 6 strands together, double them, and using a crochet hook, draw a loop through the end of the scarf, pass the ends through the loop and knot firmly. Repeat at even distances along the ends of the scarf.

TO MAKE A HEAVIER SCARF—use 10 ozs. P & B SUPERIOR DOUBLE KNITTING.

Alternative wool: 10 ozs. Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. Two No. 8 Beehive Knitting Needles. Cast on 56 sts. and follow above instructions, using 4 strands instead of 6 strands for Fringe.

C—SLEEVELESS PULLOVER with "V" neck. (Not illustrated).

MATERIALS and MEASUREMENTS.


(See right column, page 6).

FRONT: Work from ** to ** as given for Sleeveless Pullover with Turtle Neck. (See page 7). Keeping ribbed borders at armhole edges, dec. 1. st. each end of needle inside borders every alternate row 5 times ending with purl row. Proceed:—

1st row: (K1. P1) 3 times. K2tog. K39. (40—K2tog. K42) (42—K2tog. K44). (K1. P1) 6 times. Knit to last 8 sts. K2tog. (P1. K1) 3 times. **2nd row:** K2. (P1. K1) twice. P40. (40—P43) (42—P45). (K1. P1) 6 times. Purl to last 6 sts. (K1. P1) twice. K2. Keeping 12 sts. in ribbing in centre of work dec. 1. st. each end of needle inside borders every alternate row 3 times ending with purl row. **9th row:** (K1. P1) 3 times. K37. (40—(K1. P1) 3 times. K2tog. K38) (42—(K1. P1) 3 times. K2tog. K40). (K1. P1) 3 times. Turn. Leave remaining sts. on st. holder. **10th row:** K2. (P1. K1) twice. Purl to last 6 sts. (K1. P1) twice. K2. Keeping ribbed borders at neck and armhole edges, continue in Stocking st. (for sizes 40 and 42 dec. 1. st. at armhole edge every alternate row, twice) at same time dec. 1. st. inside border at neck edge on 5th and every following 4th row, (all sizes), to 36 sts. on needle. (40—36 sts.) (42—38 sts.). Continue even until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.). Shape shoulder as given for shoulder of Pullover with "V" Neck with sleeves. (See page 7). Join wool at neck edge and work other side to correspond.

BACK: Work exactly as given for Front, omitting neck shaping until armhole from first shaping measures 8½ ins. (40—9 ins.) (42—9 ins.). Shape shoulders as given for Back of Pullover with Turtle Neck. (See page 6). Cast off remaining sts.


TO MAKE UP: Press pieces carefully. Sew all seams. Sew ends of ribbing across back of neck.




A



B



C



D



E

A—PLAIN KNITTED SCARF—See page 8.

B—BASKET WEAVE SCARF—See page 8.

C—DOUBLE SCARF—See page 8.

D—TURTLE NECK TUCK-IN—See page 18.

E—BRIOCHE SCARF—See below.

E—BRIOCHE SCARF

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 10 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 10 ozs. Two No. 7 Beehive Knitting Needles.


MEASUREMENTS: Length 46 ins. Width $9\frac{1}{2}$ ins.

Tension: $4\frac{1}{2}$ sts. = 1 inch.


Check tension—see page 38.

Cast on 64 sts. **1st row:** K2. *Wool to front, slip 1 purlways. Leaving wool in front, K1. K2tog. Repeat from * to last 2 sts. K2. Repeat this row until work measures 46 ins. from beginning. Cast off in pattern, purling the st. which should be slipped.

THE FRINGE: Make Fringe as given for Plain Knitted Scarf, see page 8, using 4 strands of wool instead of 8 strands.




A




B




C



D



E



F

A—GLOVES—See page 11.

B—PLAIN MITTS—See page 11.

C—RIFLE MITTS with half finger and thumb and full finger and thumb—See page 12.

D—TWO-WAY MITTS—See page 12.

E—WRISTLETS—See below.

F—HALF MITTS with and without finger sections—See page 11.

E—WRISTLETS

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 2 ozs. will make 2 pairs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 2 ozs. will make 2 pairs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Cast on 48 sts. (16, 16, 16). Work 4 ins. ribbing (K2, P2). Cast off in ribbing.

F—HALF MITTS without finger sections. (Not Illustrated).

MATERIALS and MEASUREMENTS. (See left column, page 11).

These mitts are worked exactly as given for Half Mitts, see page 11, until the 10 rounds plain knitting above the thumb gusset have been worked. Work 16 rounds ribbing (K2, P2) instead of 12 rounds. Cast off in ribbing. Work the thumb as given for thumb of Half Mitts. Work another mitt to correspond.



B—PLAIN MITTS

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 4 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all round hand at thumb 8 ins.

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Work from ** to ** as given for Gloves, see next column. Knit 25 rounds plain knitting. Proceed:—

To shape top: *K6. K2tog. Repeat from * to end of round. Knit 5 rounds. **7th round:** *K5. K2tog. Repeat from * to end of round. Knit 4 rounds. **12th round:** *K4. K2tog. Repeat from * to end of round. Knit 3 rounds. **16th round:** *K1. K2tog. Repeat from * to end of round. Knit 2 rounds. **19th round:** *K2tog. Repeat from * to end of round. Break wool. Thread end through remaining sts. Draw up and fasten securely.

The Thumb: Knit the 16 sts. which were left for thumb and pick up and knit 4 sts. at base of thumb. Divide these 20 sts. on 3 needles. Knit 20 rounds. **21st round:** *K3. K2tog. Repeat from * to end of round. **22nd and 23rd rounds:** Knit. **24th round:** *K2tog. Repeat from * to end of round. **25th round:** Knit. Break wool. Thread end through remaining sts. Draw up and fasten securely. Work another mitt to correspond.

F—HALF MITTS with finger sections.

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 4 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all round hand at thumb 8 ins.

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

RIGHT MITT: Work from ** to ** as given for Gloves, see next column. Knit 10 rounds plain knitting. Work 12 rounds ribbing (K2. P2). Proceed:—

To make finger sections: **1st finger:** Rib first 4 sts. Slip all but last 10 sts. onto a thread. Cast on 2 sts. Rib last 10 sts. Divide these 16 sts. on 3 needles. Join in round. Rib 4 rounds. Cast off in ribbing.

2nd finger: Rib next 6 sts. of round. Cast on 2 sts. Rib last 6 sts. of round. Pick up 2 sts. at base of 1st. finger. Rib 5 rounds. Cast off in ribbing.

3rd finger: Rib next 6 sts. of round. Cast on 2 sts. Rib last 6 sts. of round. Pick up 2 sts. at base of 2nd finger. Rib 4 rounds. Cast off in ribbing.

4th finger: Rib remaining sts. from thread. Pick up 2 sts. at base of 3rd finger. Rib 2 rounds. Cast off in ribbing.

The Thumb: Knit the 16 sts. which were left for thumb and pick up and knit 4 sts. at base of thumb. Divide these 20 sts. on 3 needles. Knit 6 rounds even. Work 6 rounds ribbing (K2. P2). Cast off in ribbing.

(Left Mitt—see next column)

A—GLOVES

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 4 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all around hand at thumb 8 ins.

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

RIGHT GLOVE: **Cast on 48 sts. (16. 16. 16). Work $3\frac{1}{2}$ ins. ribbing (K2. P2). Knit 6 rounds plain knitting. Proceed:—

To make gusset for thumb: **1st round:** P1. (Inc. 1. st. in next st. K1) twice. P1. Knit to end of round. ***Next 2 rounds:** Knit, purling the sts. which were purled in previous round. **4th round:** P1. Inc. 1. st. in next st. Knit to the 2 sts. before the next purl st. Inc. 1. st. in next st. K1. P1. Knit to end of round. * Repeat from * to * until there are 16 sts. between the 2 purled sts. **Next 2 rounds:** Knit, purling the sts. which were purled in previous round. **Next round:** K1. Cast on 4 sts. Slip next 16 sts. onto a thread and leave for thumb. Knit to end of round. ** Knit 13 rounds. Proceed:—

To make fingers: **1st finger:** Knit first 4 sts. Slip all but last 10 sts. onto a thread. Cast on 2 sts. Knit last 10 sts. Divide these 16 sts. on 3 needles. Join in round. Knit 3 ins. plain knitting. **Next round:** (K2tog.) 8 times. Break wool. Thread end through remaining sts. Draw up and fasten securely. Finish all fingers and thumb in same manner.

2nd finger: Knit next 6 sts. of round. Cast on 2 sts. Knit last 6 sts. of round and pick up and knit 3 sts. at base of 1st. finger. Divide these 17 sts. on 3 needles. Knit $3\frac{1}{2}$ ins. **Next round:** (K2tog) 8 times. K1.

3rd finger: Knit next 6 sts. of round. Cast on 2 sts. Knit last 6 sts. of round and pick up and knit 2 sts. at base of 2nd finger. Divide these 16 sts. on 3 needles. Knit 3 ins. **Next round:** (K2tog) 8 times.

4th finger: Knit remaining sts. from thread. Pick up and knit 4 sts. at base of 3rd finger. Divide these 14 sts. on 3 needles. Knit $2\frac{1}{2}$ ins. **Next round:** (K2tog) 7 times.

The Thumb: Knit the 16 sts. which were left for thumb, and pick up and knit 4 sts. at base of thumb. Divide these 20 sts. on 3 needles. **Next 2 rounds:** Knit, dec. twice over the 4 sts. which were picked up at base of thumb. (16 sts. in round). Knit $2\frac{1}{2}$ ins. **Next round:** (K2tog.) 8 times.

LEFT GLOVE: Work as given for Right Glove until fingers are reached. Proceed:—

To make fingers: **1st finger:** Knit first 14 sts. Slip remaining sts. onto a thread. Cast on 2 sts. Divide these 16 sts. on 3 needles. Join in round. Finish finger and work remainder of glove as given for Right Glove, beginning at back of glove to knit up sts. for remaining fingers.

LEFT MITT: Work as given for Right Mitt until finger sections are reached.

To make finger sections: **1st finger:** Rib first 14 sts. Slip remaining sts. onto a thread. Cast on 2 sts. Divide these 16 sts. on 3 needles. Join in round. Finish finger and work remainder of mitt as given for Right Mitt.

**D—TWO-WAY MITTS** (*Illustrated on page 10*).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 4 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all round hand at thumb 8 ins.

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

RIGHT MITT—To make flap: With 2 needles cast on 26 sts. **1st row:** *K1. P1. Repeat from * to last 2 sts. K2. Repeat 1st. row 11 times. Break wool. Leave on spare needle.

The Mitt: Work from ** to ** as given for Gloves, see page 11. Rearrange sts. as follows:—**1st needle:** (the needle with the sts. of thumb gusset) 26 sts. **2nd needle:** 11 sts. **3rd needle:** 11 sts. Knit 6 rounds even in plain knitting ending with 3rd needle. **Next round:** K3. (P1. K1) 11 times. Knit to end of round. Repeat this round 5 times. **Next round:** K2. Cast off next 22 sts. in ribbing. Knit to end of round. **Next round:** Place the needle containing the flap sts. behind the first 2 sts. on 1st. needle. Knit together 1. st. from each needle twice. Rib across the next 22 sts. on spare needle. Place the last 2 sts. on spare needle behind the last 2 sts. on 1st. needle and knit together 1. st. from each needle twice. Knit to end of round. **Next round:** K3. (P1. K1) 11 times. Knit to end of round. Repeat this round 5 times. Knit 10 rounds even slipping the last st. off the 1st. needle onto 2nd needle and knitting the 1st. st. off the 1st. needle onto 3rd needle in last round. The sts. are now divided 24. 12. 12.

To shape top: **1st round:** 1st needle: K1. K2tog. t.b.l. Knit to last 3 sts. K2tog. K1. **2nd needle:** K1. K2tog. t.b.l. Knit to end of needle. **3rd needle:** Knit to last 3 sts. K2tog. K1. Knit 1 round even. Repeat these 2 rounds to 16 sts. in round. Slip sts. off 2nd needle onto end of 3rd needle. Graft top. See page 39.

The Thumb: Work exactly as given for Thumb of Gloves, see page 11. Sew the ends of the flap in position on wrong side of mitt.

LEFT MITT: Work exactly as given for Right Mitt to end of gusset shaping and rearrange sts. as follows:—**1st needle:** (the needle with the sts. of thumb gusset). K7. Slip last 19 sts. of round onto this needle. Divide remaining 22 sts. on 2nd and 3rd needles. Knit 6 rounds even in plain knitting ending with 3rd needle. Work remainder of mitt to correspond with Right Mitt.

SEAMAN'S SCARF (*Not illustrated*).

MATERIALS: 4 ply BEEHIVE FINGERING. 11 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 11 ozs. Two No. 10 Beehive Knitting Needles.

MEASUREMENTS: Length 66 ins. Width 14 ins.

Tension: $7\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Cast on 96 sts. Knit 66 ins. in plain knitting. (Garter st.). Cast off. The fringe is not required on this scarf.

C—RIFLE MITTS with half finger and thumb. (*Illustrated on page 10*).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 4 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all round hand at thumb 8 ins.

Tension: $6\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

RIGHT MITT: Work from ** to ** as given for Gloves (see page 11). Knit 13 rounds plain knitting. Proceed:—

To make finger: Knit first 6 sts. Slip all but last 12 sts. onto a thread. Cast on 2 sts. Knit last 12 sts. Divide these 20 sts. on 3 needles. Join in round. Work 8 rounds ribbing (K2. P2). Cast off in ribbing.

To make mitt section: Put next 6 sts. from thread onto 1st. needle, following 18 sts. onto 2nd needle, and last 6 sts. onto 3rd needle. Pick up and knit 2 sts. at base of 1st. finger, and put 1. st. onto each of 1st. and 3rd needles. Knit 15 rounds even. Proceed:—

1st round: K14. K2tog. t.b.l. K2tog. K14. **2nd and alternate rounds:** Knit. **3rd round:** K13. K2tog. t.b.l. K2tog. K13. **5th round:** K12. K2tog. t.b.l. K2tog. K12. Continue decreasing in this manner to 16 sts. in round. **Next round:** (K2tog) 8 times. **Next round:** Knit. Break wool. Thread end through remaining sts. Draw up and fasten securely.

The Thumb: Knit the 16 sts. which were left for thumb and pick up and knit 4 sts. at base of thumb. Divide these 20 sts. on 3 needles. Work 8 rounds ribbing (K2. P2). Cast off in ribbing.

LEFT MITT: Work as given for Right Mitt until finger is reached.

To make finger: Knit first 18 sts. Slip remaining sts. onto a thread. Cast on 2 sts. Divide these 20 sts. on 3 needles. Join in round. Finish finger and work remainder of mitt as given for Right Mitt.

C—RIFLE MITTS with full finger and thumb. (*Not illustrated*).

MATERIALS and **MEASUREMENTS.** (*See above*).

RIGHT MITT: This mitt is worked exactly as given for the Rifle Mitts, see above, working the finger and thumb as follows:—

To make finger: Knit first 6 sts. Slip all but last 12 sts. onto a thread. Cast on 2 sts. Knit last 12 sts. Divide these 20 sts. on 3 needles. **Next 2 rounds:** Knit, dec. twice over the 2 sts. which were cast on. (16 sts. in round). Work 3 ins. even in plain knitting. **Next round:** (K2tog) 8 times. Break wool. Thread end through remaining sts. Draw up and fasten securely.

The Thumb: Work exactly as given for Thumb of Gloves, see page 11.

LEFT MITT: Work as given for Right Mitt until finger is reached.

To make finger: Knit first 18 sts. Slip remaining sts. onto a thread. Cast on 2 sts. Divide these 20 sts. on 3 needles. Join in round. Finish finger and work remainder of mitt as given for Right Mitt.

Service Socks of Super Service Non Shrink Yarn

made from one
ball of yarn

SUPER SERVICE NON SHRINK YARN SOCKS

with double heel
and flat toe.



MATERIALS: Patons & Baldwins' SUPER SERVICE YARN. 1 ball. This ball will make socks for sizes 10, 11 and 12. Set of 4 No. 12 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap $13\frac{1}{2}$ ins.

Tension: 8 sts. = 1 inch.

Check tension—see page 38.

Cast on 68 sts. (24. 24. 20). Work 4 ins. ribbing (K1. P1) inc. 2 sts. in last round. (70 sts. in round). Continue in plain knitting until work measures 8 ins. from beginning. Tie coloured thread to mark beginning of round.

To shape leg: 1st round: 1st needle: K2tog. Knit to end of needle. 2nd needle: Knit. 3rd needle: Knit to last 2 sts. K2tog. Knit 11 rounds plain. Repeat 1st. round. (66 sts. in round). Continue even in plain knitting until work measures 11 ins. from beginning ending with 3rd needle.

To make heel: Knit first 17 sts. off 1st. needle and slip last 16 sts. off 3rd needle onto one needle. These 33 sts. are for heel. Divide remaining 33 sts. on 2 needles and leave for instep. Working on the 33 heel sts. proceed:—

1st row: K1. P31. K1. 2nd row: K1. *Sl. 1. K1. being very careful not to tighten wool behind the slipped sts. This prevents a ridge. Repeat from * to end of row. Repeat last 2 rows until heel flap measures $2\frac{1}{2}$ ins. ending with 1st. row.

To shape heel: 1st row: K17. Sl. 1. K1. p.s.s.o. K1. Turn. 2nd row: P3. P2tog. P1. Turn. 3rd row: K4. Sl. 1. K1. p.s.s.o. K1. Turn. 4th row: P5. P2tog. P1. Turn. 5th row: K6. Sl. 1. K1.

p.s.s.o. K1. Turn. 6th row: P7. P2tog. P1. Turn. 7th row: K8. Sl. 1. K1. p.s.s.o. K1. Turn. 8th row: P9. P2tog. P1. Turn. 9th row: K10. Sl. 1. K1. p.s.s.o. K1. Turn. 10th row: P11. P2tog. P1. Turn. 11th row: K12. Sl. 1. K1. p.s.s.o. K1. Turn. 12th row: P13. P2tog. P1. Turn. 13th row: K14. Sl. 1. K1. p.s.s.o. K1. Turn. 14th row: P15. P2tog. P1. Turn. 15th row: K16. Sl. 1. K1. p.s.s.o. Turn. 16th row: K1. P15. P2tog. Turn. (17 sts. on needle). Knit back 9 sts. This is centre of heel. Put instep sts. onto one needle. (This is 2nd needle). There are 8 sts. on 1st. needle, 33 sts. on 2nd needle and 9 sts. on 3rd needle.

To shape instep: 1st needle: K8. Pick up and knit 17 sts. along side of heel, inserting the needle through the knot formed by the stitch knitted at beginning and end of each row. 25 sts. on 1st. needle. 2nd needle: Knit across the 33 instep sts. 3rd needle: Pick up and knit 17 sts. along other side of heel. Knit remaining 9 sts. 26 sts. on 3rd needle. Proceed:—

1st round: Knit across each needle. 2nd round: 1st needle: Knit to last 4 sts. K2tog. K2. 2nd needle: Knit. 3rd needle: K2. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 16 sts. on 1st. needle, 33 sts. on 2nd needle and 17 sts. on 3rd needle. (66 sts. in round). Continue even in plain knitting until work measures (from where sts. were picked up at heel):—

$6\frac{1}{2}$ ins. for size 10, $7\frac{1}{2}$ ins. for size 11, $8\frac{1}{2}$ ins. for size 12.

To shape toe: 1st round: 1st needle: Knit to last 3 sts. K2tog. K1. 2nd needle: K1. K2tog. t.b.l. Knit to last 3 sts. K2tog. K1. 3rd needle: K1. K2tog. t.b.l. Knit to end of needle. 2nd round: Knit across each needle. Repeat these 2 rounds until there are 22 sts. in round. Knit the sts. of 1st. needle onto end of 3rd needle. Graft toe, see page 39.

**C—HEAVY SOCKS** with double heel and flat toe.

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 7 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 7 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap 13½ ins.

Tension: 6½ sts. = 1 inch.

Check tension—see page 38.

Cast on 60 sts. (20. 20. 20). Work 4 ins. ribbing (K1. P1). Continue in plain knitting until work measures 7 ins. from beginning. Tie coloured thread to mark beginning of round.

To shape leg: 1st round: 1st needle: K1. K2tog. Knit to end of needle. 2nd needle: Knit. 3rd needle: Knit to last 3 sts. K2tog. t.b.l. K1. Dec. in same manner every 11th round to 54 sts. in round. Continue even in plain knitting until work measures 11 ins. from beginning ending with 3rd needle.

To make heel: Knit first 14 sts. off 1st. needle and slip last 13 sts. off 3rd needle onto one needle. These 27 sts. are for heel. Divide remaining 27 sts. on 2 needles and leave for instep. Working on the 27 heel sts. proceed:—

1st row: K1. P25. K1. **2nd row:** K1. *Sl. 1. K1. being very careful not to tighten wool behind the slipped sts. This prevents a ridge. Repeat from * to end of row. Repeat these 2 rows 13 times. (approx. 2½ ins.). **Next row:** K1. P25. K1.

To shape heel: 1st row: K15. Sl. 1. K1. p.s.s.o. K1. Turn. **2nd row:** P5. P2tog. P1. Turn. **3rd row:** K6. Sl. 1. K1. p.s.s.o. K1. Turn. **4th row:** P7. P2tog. P1. Turn. Continue in this manner working 1. st. extra every row until all sts. are on one needle, ending with purl row. (15 sts. on needle). Knit back 7 sts. This is centre of heel. Put instep sts. onto one needle. (This is 2nd needle). There are 8 sts. on 1st. needle, 27 sts. on 2nd needle and 7 sts. on 3rd needle.

To shape instep: 1st needle: K8. Pick up and knit 16 sts. along side of heel, inserting the needle through the knot formed by the stitch knitted at beginning and end of each row. 24 sts. on 1st. needle. 2nd needle: Knit across the 27 instep sts. 3rd needle: Pick up and knit 16 sts. along other side of heel and knit remaining 7 sts. 23 sts. on 3rd needle. Proceed:—

1st round: Knit across each needle. **2nd round:** 1st needle: Knit to last 4 sts. K2tog. K2. 2nd needle: Knit. 3rd needle: K2. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 14 sts. on 1st. needle, 27 sts. on 2nd needle and 13 sts. on 3rd needle. (54 sts. in round). Continue even in plain knitting until work measures (from where sts. were picked up at heel):—

6¾ ins. for size 10½ 7¼ ins. for size 11
7¾ ins. for size 11½

****To shape toe:** 1st round: 1st needle: Knit to last 3 sts. K2tog. K1. 2nd needle: K1. K2tog. t.b.l. Knit to last 3 sts. K2tog. K1. 3rd needle: K1. K2tog. t.b.l. Knit to end of needle. **2nd and 3rd rounds:** Knit across each needle. Repeat last 3 rounds once. Continue decreasing in this manner, working 1 round between decreaseings instead of 2 rounds to 22 sts. in round. Knit the sts. of 1st. needle onto end of 3rd needle. Graft toe. See page 39**.

E—MEDIUM WEIGHT SOCKS with double wool heel and double wool round toe or single wool flat toe.

MATERIALS: 4 ply BEEHIVE FINGERING. 5 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 5 ozs. 9 ozs. of either wool will make 2 pairs. Set of 4 No. 13 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap, 13½ ins.

Tension: 9 sts. = 1 inch.

Check tension—see page 38.

Cast on 76 sts. (24. 28. 24). Work 4 ins. ribbing (K2. P2). Continue in plain knitting until work measures 8 ins. from beginning. Tie coloured thread to mark beginning of round.

To shape leg: 1st round: 1st needle: K2tog. Knit to end of needle. 2nd needle: Knit. 3rd needle: Knit to last 2 sts. K2tog. Knit 6 rounds plain knitting. Repeat 1st. round. (72 sts. in round). Continue even in plain knitting until work measures 11 ins. from beginning, ending with 3rd needle.

To make heel: Knit first 18 sts. off 1st. needle and slip last 18 sts. off 3rd needle onto one needle. These 36 sts. are for heel. Divide remaining 36 sts. on 2 needles and leave for instep. Using 2 strands of wool work 2½ ins. even in Stocking st. on the 36 heel sts. knitting first and last st. of every row, ending with knit row.

To shape heel: 1st row: K1. P18. P2tog. P1. Turn. **2nd row:** K4. Sl. 1. K1. p.s.s.o. K1. Turn. **3rd row:** P5. P2tog. P1. Turn. **4th row:** K6. Sl. 1. K1. p.s.s.o. K1. Turn. Continue in this manner working 1. st. extra every row until all sts. are on one needle, ending with knit row. (20 sts. on needle). Put instep sts. onto one needle. (This is the 2nd needle). Divide heel sts. evenly on 1st. and 3rd needles. With single strand of wool proceed:—

To shape instep: 1st needle: Pick up and knit 18 sts. along side of heel, inserting the needle through the knot formed by the stitch knitted at beginning and end of each row. 28 sts. on 1st. needle. 2nd needle: Knit across the 36 instep sts. 3rd needle: Pick up and knit 18 sts. along other side of heel. Knit remaining 10 sts. 28 sts. on 3rd needle. Proceed:—

1st round: Knit across each needle. **2nd round:** 1st needle: Knit to last 4 sts. K2tog. K2. 2nd needle: Knit. 3rd needle: K2. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 18 sts. on each of 1st. and 3rd needles and 36 sts. on 2nd needle. (72 sts. in round). Continue even in plain knitting until work measures (from where sts. were picked up at heel):—

Round Toe 6 ins. Flat Toe 5½ ins. for size 10
" " 6½ " " " 6 " " " 10½
" " 7 " " " 6½ " " " 11
" " 7½ " " " 7 " " " 11½

To shape round toe: With 2 strands of wool proceed:—

1st round: *K7. K2tog. Repeat from * to end of round. **2nd and alternate rounds:** Knit. **3rd round:** *K6. K2tog. Repeat from * to end of round. Continue decreasing in this manner every alternate round to K2tog. all around. Knit 1 round even. Break wool. Thread end through remaining sts. Draw up and fasten securely on wrong side.

To shape flat toe: With single strand of wool repeat from ** to ** as given for Heavy Socks, (see left column), decreasing to 24 sts. in round instead of 22 sts.



A—KNEE LENGTH STOCKINGS—See page 16.

B—KNEE CAP—See page 16.

C—HEAVY SOCKS, with double heel and flat toe—See page 14.

D—KNEE CAP—See page 30.

E—MEDIUM WEIGHT SOCKS, with double wool heel and double round toe or single flat toe—See page 14.

F—SEAMAN'S SOCKS, with double heel and flat toe—See page 16.

G—SEAMAN'S LONG STOCKINGS with double heel and flat toe—See page 18.



F—SEAMAN'S SOCKS with double heel and flat toe. (Illustrated on page 15)

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 8 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 8 ozs. Set of 4 No. 11 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap, 18 ins.

Tension: 6½ sts. = 1 inch.

Check tension—see page 38.

Cast on 64 sts. (20. 20. 24). Work 13 ins. ribbing (K2. P2).

****To shape leg: 1st round: 1st needle:** K2tog. Rib to end of needle. **2nd needle:** Rib. **3rd needle:** Rib to last 4 sts. K2tog. P2. (Keep these 2 purl sts. for seam sts.). Rib 5 rounds even. Continue decreasing in this manner on next and every following 6th round to 56 sts. in round.

To make heel: Divide sts. (having 2 seam sts. for centre) as follows:—Knit first 13 sts. off 1st. needle and slip last 15 sts. off 3rd needle onto one needle. These 28 sts. are for heel. Divide remaining 28 sts. on 2 needles and leave for instep. Working on the 28 heel sts. proceed:—

1st row: K1. P26. K1. **2nd row:** *K1. Sl. 1. being very careful not to tighten wool behind the slipped sts. This prevents a ridge. Repeat from * to last 2 sts. K2. Repeat these 2 rows 13 times. (approx. 2½ ins.).

To shape heel: 1st row: K1. P14. P2tog. P1. Turn. **2nd row:** K4. Sl. 1. K1. p.s.s.o. K1. Turn. **3rd row:** P5. P2tog. P1. Turn. **4th row:** K6. Sl. 1. K1. p.s.s.o. K1. Turn. Continue in this manner, working 1. st. extra every row until all sts. are on one needle, ending with knit row. (16 sts. on needle). Put instep sts. onto one needle. (This is 2nd needle). Divide remaining heel sts. evenly on 1st. and 3rd needles. Proceed:—

To shape instep: 1st needle: Pick up and knit 14 sts. along side of heel, inserting the needle through the knot formed by the st. knitted at beginning and end of each row. 22 sts. on 1st. needle. **2nd needle:** Rib across the 28 instep sts. **3rd needle:** Pick up and knit 14 sts. along other side of heel. Knit remaining 8 sts. 22 sts. on 3rd needle. Proceed:—

1st round: 1st needle: Knit. **2nd needle:** Rib. **3rd needle:** Knit. **2nd round: 1st needle:** Knit to last 3 sts. K2tog. K1. **2nd needle:** Rib. **3rd needle:** K1. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 14 sts. on each of 1st. and 3rd needles, and 28 sts. on 2nd needle. (56 sts. in round). Keeping 1st. and 3rd needles in Stocking st. and 2nd needle in ribbing, continue even until work measures (from where sts. were picked up at heel):—

6 ins. for size 10½, 6½ ins. for size 11, 7½ ins. for size 12.

To shape toe: 1st round: 1st needle: Knit to last 3 sts. K2tog. K1. **2nd needle:** K1. K2tog. t.b.l. Knit to last 3 sts. K2tog. K1. **3rd needle:** K1. K2tog. t.b.l. Knit to end of needle. Knit 2 rounds even. Repeat these 3 rounds to 28 sts. in round. Knit sts. of 1st. needle onto end of 3rd needle. Graft toe, see page 39.

A—KNEE LENGTH STOCKINGS with double wool heel and single wool flat toe. (Illustrated on page 15)

MATERIALS: 4 ply BEEHIVE FINGERING. 6 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 6 ozs. Set of 4 No. 13 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap (cuff turned over) 18 ins.

Tension: 9 sts. = 1 inch.

Check tension—see page 38.

Cast on 88 sts. (30. 30. 28). Work 4 ins. ribbing (K1. P1) This forms the turn-over cuff. Proceed for Stocking:—

1st round: *K4. P2. Repeat from * to last 4 sts. K4. (This makes 8 knit sts. in centre of back of stocking). Repeat 1st. round for 5½ ins. Proceed:—

To shape leg: 1st round: K2tog. K2. P2. *K4. P2. Repeat from * to last 4 sts. K2. K2tog. **2nd round:** K3. P2. *K4. P2. Repeat from * to last 3 sts. K3. Repeat 2nd round 6 times. **9th round:** (K2tog.) twice. K5. P2. *K4. P2. Repeat from * to last 9 sts. K5. (K2tog.) twice. (This does away with the first 2 and last 2 purl sts. of round). **10th round:** K7. P2. *K4. P2. Repeat from * to last 7 sts. K7. Repeat 10th round 6 times. **17th round:** K2tog. K5. P2. *K4. P2. Repeat from * to last 7 sts. K5. K2tog. **18th round:** K6. P2. *K4. P2. Repeat from * to last 6 sts. K6. Repeat 18th round 6 times. **25th round:** K2tog. *K4. P2. Repeat from * to last 6 sts. K4. K2tog. **26th round:** K5. P2. *K4. P2. Repeat from * to last 5 sts. K5. Repeat 26th round 6 times. **33rd round:** K2tog. K3. P2. *K4. P2. Repeat from * to last 5 sts. K3. K2tog. **34th round:** *K4. P2. Repeat from * to last 4 sts. K4. Repeat 34th round 6 times. **41st round:** K2tog. K2. P2. *K4. P2. Repeat from * to last 4 sts. K2. K2tog. **42nd round:** K3. P2. *K4. P2. Repeat from * to last 3 sts. K3. Repeat 42nd round 6 times. **49th round:** K2tog. K1. Work in ribbing to last 3 sts. K1. K2tog. There are now 2 knit sts. at beginning and end of round. (72 sts. in round). Continue even in (K4. P2) ribbing for 5½ ins. Work now measures approx. 15 ins. (cuff turned over).

Make and shape heel as given for Medium Weight Socks, see page 14, and being careful to keep 2nd needle (instep needle) in ribbing, work remainder of sock to correspond to Medium Weight Socks, omitting ribbing on 2nd needle when shaping toe.

B—KNEE CAP (Illustrated on page 15).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs. Two No. 9 Beehive Knitting Needles.

Tension: 5½ sts. = 1 inch.

Check tension—see page 38.

Cast on 38 sts. Knit 10 rows Garter st. **11th row:** K17. Inc. 1. st. in next st. Knit to last 18 sts. Inc. 1. st. in next st. K17. **12th row:** Knit. Repeat last 2 rows to 56 sts. on needle. Knit 37 rows even in Garter st. Proceed:—

1st row: K17. K2tog. Knit to last 19 sts. K2tog. K17. **2nd row:** Knit. Repeat 1st. and 2nd rows to 38 sts. on needle. Knit 10 rows Garter st. Cast off.

TO MAKE UP: Press carefully. Sew together the cast-on and cast-off edges. Work another Knee Cap to correspond.



HEAVY CARDIGAN with buttons or "Zipper" fastener. (Illustrated on cover).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 22 ozs. (40—22 ozs.) (42—24 ozs.).

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 22 ozs. (40—22 ozs.) (42—24 ozs.). Two No. 10 and two No. 8 Beehive Knitting Needles. 5 Buttons or one 14-inch "Zipper" Fastener. One Stitch Holder.

MEASUREMENTS:

	Chest	38 ins.	40 ins.	42 ins.
Length from top of shoulder	22 "	22½ "	22½ "	22½ "
Length of sleeve underarm seam (cuff turned up)	18 "	18 "	18 "	18 "
Tension:	5 sts. = 1 inch.			

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().

HEAVY CARDIGAN with Buttons (Illustrated on cover).

BACK: With No. 8 needles cast on 89 sts. (40 95 sts.) (42—101 sts.). Knit 12 rows Garter st. **Next row:** K1. (40—K4) (42—K7). *K4. Inc. 1. st. in next st. K2. Repeat from * 11 times. Knit to end of row. 101 sts. on needle. (40—107 sts.) (42—113 sts.). Proceed:—

1st row: K2. *P1. K1. Repeat from * to last st. K1. **2nd row:** K1. Purl to last st. K1. Repeat these 2 rows until work measures 14 ins. from beginning ending with purl row. (all sizes).

To shape armholes: Keeping continuity of pattern, cast off 6 sts. (40—7 sts.) (42—8 sts.) beginning next 2 rows, then dec. 1. st. each end of needle every alternate row to 67 sts. on needle. (40—67 sts.) (42—71 sts.). Continue even in pattern until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.) ending with purl row.

To shape shoulders: Keeping continuity of pattern, cast off 7 sts. beginning next 6 rows. (40 as 38) (42—Cast off 8 sts. beginning next 4 rows, then 7 sts. beginning following 2 rows). Cast off remaining sts.

LEFT FRONT: With No. 8 needles cast on 49 sts. (40—51 sts.) (42—53 sts.). Knit 3 rows even. **4th row:** (1st. buttonhole). Knit to last 5 sts. Cast off 2 sts. K3. **5th row:** K3. Cast on 2 sts. Knit to end of row. Knit 7 rows even. **Next row:** K5. *K4. Inc. 1. st. in next st. K2. Repeat from * 5 times. Knit to end of row. 55 sts. on needle. (40—57 sts.) (42—59 sts.). Proceed:—

1st row: K2. *P1. K1. Repeat from * to last 7 sts. K7. **2nd row:** K7. Purl to last st. K1. Repeat 1st. and 2nd rows until work measures 4½ ins. from beginning ending with 1st. row and working 2nd buttonhole 3½ ins. above 1st.

To shape pocket edge: **1st row:** K7. P17. K23. Purl to last st. K1. **2nd row:** K2. (P1. K1) 3 times. (40—4 times) (42—5 times). K23. (K1. P1) 8 times. K8. Repeat 1st. and 2nd rows twice. **7th row:** K7. P17. Cast off 23 sts. Purl to last st. K1. Leave these sts. on st. holder until pocket piece has been worked.

To make pocket piece: With No. 9 needles cast on 23 sts. **1st row:** K2. *P1. K1. Repeat from * to last st. K1. **2nd row:** K1. Purl to last st. K1. Repeat these 2 rows until work measures 4 ins. from beginning ending with purl row. Beginning again on sts. of Front, work across row, working across pocket sts. in place of cast-off sts. Keeping Garter st. border at Front edge and working 3 more buttonholes 3½ ins. apart, continue even in pattern until work measures 14 ins. from beginning.

To shape armhole: Keeping continuity of pattern, at armhole edge cast off 6 sts. (40—7 sts.) (42—8 sts.) once, then dec. 1. st. every alternate row 11 times. (40—12 times) (42—11 times), at same time when front edge measures 14½ ins. dec. 1. st. at neck edge, inside border, on next and every following 6th row to 28 sts. on needle. (40—28 sts.) (42—30 sts.). Continue even until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.).

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 7 sts. every alternate row 3 times. (40 as 38) (42—Cast off 8 sts. twice, then 7 sts. once). Knit 2½ ins. Garter st. on remaining 7 sts. Cast off.

RIGHT FRONT: Work to correspond to Left Front omitting buttonholes and being careful to have all shapings for opposite side.

SLEEVES: (Sizes 40 and 42 are written exactly the same). With No. 10 needles cast on 46 sts. (all sizes). Work 7 ins. ribbing (K1. P1), increasing in last row to 51 sts. on needle. (all sizes). Change to No. 8 needles and continue in pattern as given for Back, inc. 1. st. each end of needle on 11th and every following 6th row to 83 sts. on needle. (40—87 sts.). Continue even in pattern until sleeve measures 21 ins. from beginning, or desired length, ending with purl row. (This allows for 3-inch turned-up cuff).

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning every row to 23 sts. on needle. (all sizes). Cast off.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew buttons to correspond to buttonholes.

HEAVY CARDIGAN with "Zipper" fastener. (Not illustrated).

MATERIALS and MEASUREMENTS.
(See left column).

BACK: Work exactly as given for Back of Cardigan with Buttons. (See left column)

LEFT FRONT: With No. 8 needles cast on 45 sts. (40—47 sts.) (42—49 sts.). Knit 12 rows Garter st. **13th row:** K1. *K4. Inc. 1. st. in next st. K2. Repeat from * 5 times. Knit to end of row. 51 sts. on needle. (40—53 sts.) (42—55 sts.). Proceed:—

1st row: K2. *P1. K1. Repeat from * to last 7 sts. K7. **2nd row:** K7. Purl to last st. K1. Repeat 1st. and 2nd rows until work measures 4½ ins. from beginning ending with 1st. row.

To shape pocket edge: **1st row:** K7. P15. K23. Purl to last st. K1. **2nd row:** K2. (P1. K1) twice. (40—3 times) (42—4 times). K23. (K1. P1) 7 times. K8. Repeat 1st. and 2nd rows twice. **7th row:** K7. P15. Cast off 23 sts. Purl to last st. K1. Make and insert pocket piece and omitting buttonholes continue to correspond to Left Front of Cardigan with Buttons.

RIGHT FRONT: Work exactly as given for Left Front being careful to have all shapings for opposite side.

SLEEVES: Work exactly as given for Sleeves of Cardigan with Buttons.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew pocket pieces in position on wrong side. Sew in "Zipper" Fastener.



LADY'S KNEE STOCKINGS with double heel and flat toe.

(Illustrated on page 35)

MATERIALS: 4 ply BEEHIVE FINGERING. 6 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 6 ozs. Set of 4 No. 13 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap 17 ins.

Tension: 9 sts. = 1 inch.

Check tension—see page 38.

Cast on 90 sts. (30, 30, 30). Work 6 rounds ribbing (K1. P1). **7th round:** *K3. P2. Repeat from * to end of round. **8th round:** Knit. Repeat 7th and 8th rounds until work measures 4 ins. from beginning, ending with 8th round. Turn work inside out to reverse fabric. Work $3\frac{1}{2}$ ins. ribbing (K1. P1) inc. 1. st. at end of last round. **Next round:** Knit to last st. of round. P1. (Seam st. for back of leg). Repeat this round for $2\frac{1}{2}$ ins.

To shape leg: ****1st round:** 1st needle: K2tog. Knit to end of needle. 2nd needle: Knit. 3rd needle: Knit to last 3 sts. K2tog. t.b.l. P1. **2nd round:** Knit to last st. of round. P1. Repeat 2nd round twice. **** Repeat from ** to ** 12 times.** Still keeping the seam st. work 5 ins. even, dec. 1. st. at end of last round. Work now measures 15 ins. from beginning (cuff turned over). (64 sts. in round).

¶To make heel: Knit first 16 sts. off 1st. needle and slip last 16 sts. off 3rd needle onto one needle. These 32 sts. are for heel. Divide remaining 32 sts. on 2 needles and leave for instep. Working on the 32 heel sts. proceed:—**1st row:** K1. P30. K1. **2nd row:** *K1. Sl. 1. being very careful not to tighten the wool behind the slipped st. This prevents a ridge. Repeat from * to last 2 sts. K2. Repeat these 2 rows 13 times. (approx. 2 ins.). **Next row:** K1. P30. K1.

To shape heel: **1st row:** K17. Sl. 1. K1. p.s.s.o. K1. Turn. **2nd row:** P4. P2tog. P1. Turn. **3rd row:** K5. Sl. 1. K1. p.s.s.o. K1. Turn. **4th row:** P6. P2tog. P1. Turn. Continue in this manner, working 1. st. extra every row until all sts. are on one needle, ending with purl row. (18 sts. on needle). Knit back 9 sts. This is centre of heel. Put instep sts. onto one needle. (This is 2nd needle). There are 9 sts. on each of 1st. and 3rd needles and 32 sts. on 2nd needle.

To shape instep: **1st needle:** K9. Pick up and knit 16 sts. along side of heel, inserting the needle through the knot formed by the st. knitted at beginning and end of each row. 25 sts. on 1st. needle. **2nd needle:** Knit across the 32 instep sts. **3rd needle:** Pick up and knit 16 sts. along other side of heel. Knit remaining 9 heel sts. 25 sts. on 3rd needle. Proceed:—

1st round: Knit across each needle. **2nd round:** **1st needle:** Knit to last 4 sts. K2tog. K2. **2nd needle:** Knit. **3rd needle:** K2. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 16 sts. on each of 1st. and 3rd needles and 32 sts. on 2nd needle. (64 sts. in round). Continue even in plain knitting until work measures (from where sts. were picked up at heel):—

$5\frac{1}{4}$ ins. for size 9, $5\frac{3}{4}$ ins. for size 9 $\frac{1}{2}$, $6\frac{1}{4}$ ins. for size 10.

To shape toe: **1st round:** **1st needle:** Knit to last 3 sts. K2tog. K1. **2nd needle:** K1. K2tog. t.b.l. Knit to last 3 sts. K2tog. K1. **3rd needle:** K1. K2tog. t.b.l. Knit to end of needle. **2nd and 3rd rounds:** Knit. Repeat these 3 rounds until there are 28 sts. in round. Knit the sts. of 1st. needle onto end of 3rd needle. Graft toe, see page 39. ¶

D—TURTLE NECK TUCK-IN

(Illustrated on page 9).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs. Set of 4 No. 9 Beehive Knitting Needles. (points at both ends).

MEASUREMENTS: Length of Front (collar turned over) $11\frac{1}{4}$ ins. Length of Back (collar turned over) $7\frac{1}{4}$ ins.

Tension: $5\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Starting at top of collar cast on 80 sts. (28, 28, 24). Work $5\frac{1}{2}$ ins. in rounds of (K2. P2) ribbing. Divide sts. for Front and Back Bibs as follows:—

Taking the spare needle slip first 20 sts. off 1st. needle onto it. Slip the remaining 8 sts. from the end of the 1st. needle onto the beginning of the 2nd needle. Slip 16 sts. from the end of the 2nd needle onto the beginning of the 3rd needle. There are now 20 sts. on the 1st. and 20 sts. on the 2nd needles and 40 sts. on the 3rd needle. Leave the 1st. and 2nd needles for Front Bib and work on the 3rd needle as follows:—

The Back Bib: **1st row:** Purl across the 40 sts. Cast on 10 sts. (50 sts. on needle). **2nd row:** Knit. Cast on 10 sts. (60 sts. on needle). **3rd row:** K5. P50. K5. **4th row:** Knit. Repeat 3rd and 4th rows for $3\frac{1}{2}$ ins. ending with 4th row. Knit 8 rows Garter st. Cast off.

The Front Bib: Join the wool to the beginning of 1st. needle. Knit across the 20 sts. and knit the 20 sts. from the 2nd needle onto one needle. Cast on 10 sts. **2nd row:** K5. Purl to end of row. Cast on 10 sts. (60 sts. on needle). **3rd row:** Knit. **4th row:** K5. P50. K5. Repeat 3rd and 4th rows for $7\frac{1}{2}$ ins. ending with 3rd row. Knit 8 rows Garter st. Cast off.

TO MAKE UP: Press carefully. Sew together the 10 cast-on sts. of the Front to the 10 cast-on sts. of the Back at each side of collar.

G—SEAMAN'S LONG STOCKINGS with double heel and flat toe.

(Illustrated on page 15).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 12 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 14 ozs. Set of 4 No. 10 "Aero" Steel Knitting Needles and Set of 4 No. 9 Beehive Knitting Needles. (with points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap, 26 ins. Length of foot, $11\frac{1}{2}$ ins. Tension: 6 sts. = 1 inch with No. 10 needles.

Check tension—see page 38.

With No. 9 needles cast on 84 sts. (28, 28, 28). **1st round:** *(K2. P3) 3 times. K3. P3. Repeat from * 3 times. Repeat 1st. round for 2 ins.

1st decreasing round: *(K2. P3) 3 times. K1. K2tog. P3. Repeat from * 3 times. (80 sts. in round). **Next round:** *K2. P3. Repeat from * to end of round. Repeat last round for 2 ins.

2nd decreasing round: *K2. P1. P2tog. K2. P3. Repeat from * 7 times. (72 sts. in round). **Next round:** *K2. P2. K2. P3. Repeat from * 7 times. Repeat last round for 2 ins.

3rd decreasing round: *K2. P2. K2. P1. P2tog. Repeat from * 7 times. (64 sts. in round). **Next round:** *K2. P2. Repeat from * to end of round. Repeat last round until work measures $7\frac{1}{2}$ ins. from beginning. Change to No. 10 needles. Continue in ribbing (K2. P2) until work measures 20 $\frac{1}{2}$ ins. from beginning. Work remainder of stocking as given from ** in Seaman's Socks, see page 16.



QUEBEC HELMET

(Illustrated on page 20).

MATERIALS: 4 ply BEEHIVE FINGERING. 3 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 3 ozs. Set of 4 No. 10 Beehive Knitting Needles. (points at both ends).

Tension: $7\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Using 2 of the set of 4 needles cast on 37 sts. **1st row:** K1. Inc. 1. st. in next st. Knit to last 3 sts. Inc. 1. st. in next st. K2. Repeat 1st. row to 47 sts. on needle. Continue even in Garter st. until work measures 4 ins. from beginning. Leave these sts. on spare needle and work another piece to correspond. Proceed:—

K31 onto 1st. needle. Taking a 2nd needle K16 and K16 from spare needle. Taking a 3rd needle K31. Working in rounds work 3 ins. ribbing (K1. P1). Rib 7 sts. of 1st. needle onto end of 3rd needle. Proceed:—

(P1. K1) 16 times. P1. Leave these 33 sts. (in centre of front bib) on st. holder. *Inc. 1. st. in next st. knitways. Inc. 1. st. in next st. purlways.* Repeat from * to * to last st. Inc. 1. st. in next st. knitways. (122 sts. on needles). Divide these 122 sts. on 2 needles. (60. 62). Working backwards and forwards on these 2 needles, proceed:—

1st row: K1. P1. K2. *P2. K2. Repeat from * to last 2 sts. on 2nd needle. P1. K1. **2nd row:** K2. *P2. K2. Repeat from * to end of 2nd needle. Repeat these 2 rows for 6 ins. ending with 1st. row.

To shape top: 1st row: (K2. P2) 21 times. K1. Sl. 1. K1. p.s.s.o. Turn. **2nd row:** (P2. K2) 12 times. P1. P2tog. Turn. **3rd row:** (K2. P2) 12 times. K1. Sl. 1. K1. p.s.s.o. Turn. Repeat 2nd and 3rd rows until all sts. are on one needle. (50 sts. on needle). Break wool.

Beginning again on the 33 sts. which were left (P1.K1) 16 times. P1. Pick up and knit 12 sts. along edge of face. With a 2nd needle pick up and knit 12 sts. along remainder of edge. Working on 32 sts. of the 50 sts. which were left (K1. P1) 16 times. With a 3rd needle working on remaining 18 sts. (K1. P1) 9 times. Pick up and knit 25 sts. along other side of face and P1 from 1st. needle. (132 sts. in round). Work $1\frac{1}{2}$ ins. ribbing (K1. P1). Cast off in ribbing.

CAP (Illustrated on page 21).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs. Set of 4 No. 8 Beehive Knitting Needles. (points at both ends).

Tension: 5 sts. = 1 inch.

Check tension—see page 38.

Cast on 92 sts. (32. 32. 28). **1st round:** *K2. P2. Repeat from * to end of round. Repeat 1st. round for $3\frac{1}{2}$ ins. **Next round:** Purl. Repeat 1st. round for 1 inch. Turn work inside out. Knit 3 ins. even dec. 2 sts. in last round.

To shape crown: 1st round: *K16. K2tog. Repeat from * to end of round. **2nd and alternate rounds:** Knit. **3rd round:** *K15. K2tog. Repeat from * to end of round. **5th round:** *K14. K2tog. Repeat from * to end of round. Continue decreasing in this manner every alternate round to 25 sts. in round. Break wool. Thread end through remaining sts. Draw up and fasten securely.

AERO HELMET

(Illustrated on page 20).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs. Two No. 8 Beehive Knitting Needles. Two Stitch Holders.

Tension: 5 sts. = 1 inch.

Check tension—see page 38.

Cast on 122 sts. **1st row:** K2. *P1. K1. Repeat from * to end of row. Repeat 1st. row for 6 ins.

To make face opening: Rib 49 sts. Cast off 25 sts. firmly in ribbing. Rib to end of row. Slip the 49 sts. onto st. holder and working on last 48 sts. rib 3 rows.

To make ear opening: Rib 13 sts. Cast off 3 sts. Rib to end of row. Slip the 13 sts. onto 2nd st. holder and working on last 32 sts. continue in ribbing dec. 1. st. at ear edge every alternate row twice. Rib 5 rows even, ending at ear edge. Inc. 1. st. at ear edge on 1st. and 3rd rows, rib 4 rows. Break wool. Slip the 13 sts. from 2nd st. holder onto needle. Leave the 32 sts. just worked on 2nd st. holder. Join wool to the 13 sts. and rib 13 rows. **Next row:** Rib 13 sts. Cast on 3 sts. Rib across the 32 sts. from 2nd st. holder. (48 sts. on needle). Rib 3 rows. Break wool. Leave these 48 sts. on 2nd st. holder. Slip the 49 sts. from 1st. st. holder onto needle. Join wool at face edge. Rib 3 rows. **Next row:** (making ear opening). Rib 33 sts. Cast off 3 sts. Rib 13 sts. With 33 sts. instead of 32 sts. on back portion, work this side to correspond to first side, being careful to have shapings at opposite side, ending at back edge. **Next row:** Rib 49 sts. Cast on 25 sts. Rib the 48 sts. from 2nd st. holder. (122 sts. on needle). Rib 13 rows. Work now measures approx. $11\frac{1}{2}$ ins. from beginning.

To shape crown: 1st row: K2. (P1. K1) 4 times. P1. *K3tog. (P1. K1) 10 times. P1. Repeat from * 3 times. K3tog. (P1. K1) 6 times. **2nd and alternate rows:** K2. *P1. K1. Repeat from * to end of row. **3rd row:** K2. (P1. K1) 4 times. *P3tog. (K1. P1) 9 times. K1. Repeat from * 3 times. P3tog. (K1. P1) 5 times. K1. **5th row:** K2. (P1. K1) 3 times. P1. *K3tog. (P1. K1) 8 times. P1. Repeat from * 3 times. K3tog. (P1. K1) 5 times. **7th row:** K2. (P1. K1) 3 times. *P3tog. (K1. P1) 7 times. K1. Repeat from * 3 times. P3tog. (K1. P1) 4 times. K1. **9th row:** K2. (P1. K1) twice. P1. *K3tog. (P1. K1) 6 times. P1. Repeat from * 3 times. K3tog. (P1. K1) 4 times. **11th row:** K2. (P1. K1) twice. *P3tog. (K1. P1) 5 times. K1. Repeat from * 3 times. P3tog. (K1. P1) 3 times. K1. **13th row:** K1. (K1. P1) twice. *K3tog. (P1. K1) 4 times. P1. Repeat from * 3 times. K3tog. (P1. K1) 3 times. **15th row:** K2. P1. K1. *P3tog. (K1. P1) 3 times. K1. Repeat from * 3 times. P3tog. (K1. P1) twice. K1. **17th row:** K2. P1. *K3tog. (P1. K1) twice. P1. Repeat from * 3 times. K3tog. (P1. K1) twice. **19th row:** K2. *P3tog. K1. P1. K1. Repeat from * 4 times. Break wool. Thread end through remaining sts. Draw up and fasten securely. Sew up back seam.


For Air, La



(Above) STEEL HELMET CAP
See page 22




(Above) QUEBEC HELMET
See page 19



(Left) AERO HELMET
See page 19

Land and Sea



(Above) BALACLAVA HELMET
See page 22



(Above) CAP
See page 19



(Right) PEAKED HELMET
See page 22



PEAKED HELMET

(Illustrated on page 21).

MATERIALS: P & B SUPERIOR DOUBLE KNITTING, 4 ozs. Two No. 9 Beehive Knitting Needles.

Tension: $5\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Cast on 50 sts. ***1st row:** Knit. **2nd row:** K34. Turn. **3rd and alternate rows:** Knit. **4th row:** K36. Turn. **6th row:** K38. Turn. **8th row:** K40. Turn. **10th row:** K42. Turn. **12th row:** K44. Turn. **14th row:** K46. Turn. **16th row:** K48. Turn. **18th row:** Knit. **** Repeat from ** to ** 3 times, casting off 18 sts. at beginning of last row.** **Next row:** K32. Proceed:—

*****1st row:** K16. Turn. **2nd and alternate rows:** Knit. **3rd row:** K18. Turn. **5th row:** K20. Turn. **7th row:** K22. Turn. **9th row:** K24. Turn. **11th row:** K26. Turn. **13th row:** K28. Turn. **15th row:** K30. Turn. **16th, 17th and 18th rows:** Knit. ***** Repeat from *** to *** once, then 1st. to 14th row once, casting on 18 sts. at end of last row.** Proceed:—

1st row: K48. Turn. **2nd and 3rd rows:** Knit. Repeat from **** to **** 4 times, then knit 1 row. Cast off. Do not break wool.

To make neckband: With right side of work facing, pick up and knit 33 sts. along lower edge. Cast on 22 sts. Pick up and knit 33 sts. along remainder of lower edge. (88 sts. on needle). Work 3 ins. ribbing (K2. P2). Cast off in ribbing.

To make peak: Cast on 28 sts. **1st row:** K1. K2tog. Knit to last 3 sts. K2tog. K1. **2nd row:** Knit. Repeat 1st. and 2nd rows to 14 sts. on needle ending with 1st. row. **Next row:** K1. Purl to last st. K1. Inc. 1. st. each end of needle on next and every alternate row to 28 sts. on needle. Cast off.

TO MAKE UP: Press pieces carefully. Sew up back seam. Fold peak at the purl row and sew edges together. Sew straight edge to front of helmet.

BALACLAVA HELMET

(Illustrated on page 21).

MATERIALS: 4 ply BEEHIVE FINGERING, 4 ozs. (7 ozs. will make 2 helmets).

Alternative wool: 4 ply MISS CANADA FINGERING, 4 ozs. (7 ozs. will make 2 helmets). Set of 4 No. 10 Beehive Knitting Needles. (points at both ends). One Stitch Holder.

Tension: $7\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Using 2 of the set of 4 needles cast on 36 sts. **1st row:** K1. Inc. 1. st. in next st. Knit to last 3 sts. Inc. 1. st. in next st. K2. **2nd row:** Knit. Repeat these 2 rows to 66 sts. on needle. Continue even in Garter st. until work measures 7 ins. from beginning. Leave these sts. on spare needle and work another piece to correspond. Proceed:—

K44. onto 1st. needle. Taking a 2nd needle K22 and K22 from spare needle. Taking a 3rd needle K44. Work 3 ins. in rounds of ribbing (K2. P2). Proceed:—

K19. Slip next 28 sts. onto st. holder. Leaving these sts. for the face opening, turn. Knit $6\frac{1}{2}$ ins. Garter st. on remaining sts. Proceed:—

1st row: K68. Sl. 1. K1. p.s.s.o. Turn. **2nd row:** K33. Sl. 1. K1. p.s.s.o. Turn. Repeat 2nd row until all sts. are on one needle. (34 sts. on needle). Break wool.

(Continued in next column)

STEEL HELMET CAP

(Illustrated on page 20).

This cap is worn under the steel helmet and it is most important that it should be very finely knitted and of very soft wool.

MATERIALS: 3 ply BEEHIVE FINGERING, 3 ozs. will make two caps. Two No. 11 Beehive Knitting Needles. $\frac{1}{8}$ yd. Elastic, $\frac{3}{8}$ inch wide.

Tension: $8\frac{1}{2}$ sts. = 1 inch.

Check tension—see page 38.

Cast on 9 sts. **1st row:** Inc. 1. st. in each st. to last st. K1. (17 sts. on needle). **2nd and alternate rows:** Knit. **3rd row:** *K1. Inc. 1. st. in next st. Repeat from * to last st. K1. (25 sts. on needle). **5th row:** *K2. Inc. 1. st. in next st. Repeat from * to last st. K1. (33 sts. on needle). **7th row:** *K3. Inc. 1. st. in next st. Repeat from * to last st. K1. (41 sts. on needle). **9th row:** *K4. Inc. 1. st. in next st. Repeat from * to last st. K1. (49 sts. on needle). **11th row:** *K5. Inc. 1. st. in next st. Repeat from * to last st. K1. (57 sts. on needle).

Continue increasing in this manner, every alternate row, having 1. st. extra between increasings to 161 sts. on needle. (18 sts. between each increasing). Knit 17 ridges. Work now measures $2\frac{3}{4}$ ins. from last increasing at Back edge. **Next row:** K73. Cast off 15 sts. K73. **Next row:** K73. Leave remaining 73 sts. on spare needle. Proceed:—

****1st row:** Cast off 3 sts. (Front edge). Knit to end of row. **2nd row:** Knit. Repeat these 2 rows to 52 sts. on needle. Proceed:—

1st row: Cast off 1. st. Knit to end of row. **2nd row:** Cast off 6 sts. (Neck edge). Knit to end of row. Repeat these 2 rows twice. (31 sts. on needle). **7th row:** Cast off 1. st. Knit to end of row. **8th row:** Cast off 3 sts. Knit to end of row. Repeat these 2 rows to 3 sts. on needle. Cast off. **** Pick up the 73 sts. from spare needle. Join wool at Front edge and repeat from ** to **.**

The Face Band: With right side of work facing, pick up and knit 118 sts. around front edge. Knit 4 rows Garter st. (plain knitting). Cast off.

The Neckband: With right side of work facing, pick up and knit 38 sts. along one side of neck. Knit 4 rows Garter st. Cast off. With right side of work facing, pick up and knit 38 sts. along other side of neck. Knit 4 rows Garter st. Cast off. Sew to edges of Face Band. Press carefully, being careful not to flatten ridges. Sew back seam.

The Chin Strap: Cast on 11 sts. **1st row:** Knit. **2nd row:** K1. Purl to last st. K1. Repeat these 2 rows for 9 ins. Cast off. Press and sew the two long edges together on the wrong side. Turn the work inside out. Thread elastic through, sewing the end of elastic and the knitted short edges together. Sew the ends of the chin strap firmly to the joining seams of the Front and Neck bands.

BALACLAVA HELMET. (Continued).

Beginning again on the 28 sts. which were left, P1. (K2. P2) 6 times. K2. P1. Pick up and knit 17 sts. With a 2nd needle pick up and knit 20 sts. along edge of plain knitted rows. Working on 24 of the 34 sts. which were left, (K2. P2) 6 times. With a 3rd needle, working on remaining 10 sts. (K2. P2) twice. K2. Pick up and knit 37 sts. along other side of face and P1. from 1st needle. (136 sts. in round). Work $1\frac{1}{2}$ ins. ribbing (K2. P2). Cast off in ribbing.



PULLOVER with Stocking or Cable Stitch Yoke.

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 20 ozs. (40—20 ozs.) (42—22 ozs.).

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 20 ozs. (40—20 ozs.) (42—22 ozs.). Two No. 10 and two No. 9 Beehive Knitting Needles. Set of 4 No. 10 "Aero" Steel Knitting Needles. (points at both ends). One Stitch Holder.

MEASUREMENTS:

	Chest	38 ins.	40 ins.	42 ins.
Length from top of shoulder	26 "	26½ "	26½ "	26½ "
Length of sleeve underarm seam	18 "	18 "	18 "	18 "

Tension: 5½ sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().

Pullover with Aero Cap (See below)

AERO CAP

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 4 ozs. Two No. 9 Beehive Knitting Needles. 3 Buttons.

Tension: 5½ sts. = 1 inch.

Check tension—see page 38.

Cast on 44 sts. **1st row:** (K1. Inc. 1. st. in next st. K18. Inc. 1. st. in next st.) twice. K2. **2nd and alternate rows:** K1. Purl to last st. K1. **3rd row:** (K1. Inc. 1. st. in next st. K20. Inc. 1. st. in next st.) twice. K2. **5th row:** (K1. Inc. 1. st. in next st. K22. Inc. 1. st. in next st.) twice. K2. Continue increasing in this manner to 100 sts. on needle. Work 3½ ins. even in Stocking st. ending with purl row. Cast off.

FRONT BAND: Cast on 70 sts. **1st row:** K2. *P1. K1. Repeat from * to end of row. Repeat this row for 3 ins. Cast off in ribbing.

BACK BAND: Cast on 96 sts. **1st row:** K2. *P1. K1. Repeat from * to end of row. Repeat this row for 3 ins. **Next row:** K2. (P1. K1) 15 times. Cast off 32 sts. (P1. K1) 16 times. Working on last 32 sts. continue in ribbing dec. 1. st. each end of needle on 3rd and every alternate row to 20 sts. on needle then every row to 12 sts. on needle. Proceed:—

1st row: (buttonhole). K1. P2tog. K1. P1. Cast off 2 sts. K1. P1. K2tog. K1. **2nd row:** K1. K2tog. P1. Cast on 2 sts. K1. P2tog. K1. **3rd row:** K1. P2tog. K1. P1. K2tog. K1. **4th row:** K1. K2tog. P2tog. K1. **5th row:** (K2tog.) twice. Cast off. Join wool to remaining 32 sts. and work to correspond.

TO MAKE UP: Press pieces carefully. Sew seam of cap. Sew front band firmly in position along the lower edge of front, leaving 8 ins. plain at back. Sew the ends of the band to the cap. Sew the back band in position, overlapping the front band at the sides and leaving 5½ ins. plain at the front. Sew buttons on cap to correspond to buttonholes. Sew another button immediately below the buttonhole inside the right point.

PULLOVER with Stocking St. Yoke. (As illustrated).

FRONT: With No. 10 needles cast on 104 sts. (40—108 sts.) (42—114 sts.). Work 2½ ins. ribbing (K1. P1). Change to No. 9 needles and continue even in Stocking st. until work measures 18 ins. from beginning (or desired length) ending with purl row.

To shape armholes: Cast off 6 sts. beginning next 2 rows, then dec. 1. st. each end of needle every alternate row to 82 sts. on needle. (40—82 sts.) (42—86 sts.). Continue even until armhole from first shaping measures 7 ins. (40—7½ ins.) (42—7½ ins.).

To shape neck: With right side of work facing work 27 sts. (40—27 sts.) (42—29 sts.). Turn. Keeping armhole edge even, at neck edge dec. 1. st. every alternate row 3 times. (40—3 times) (42—twice). Continue even until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.).

To shape shoulder: At armhole edge cast off 8 sts. (40—8 sts.) (42—9 sts.) every alternate row 3 times. Slip next 28 sts. onto st. holder and work remaining sts. to correspond to other shoulder. (all sizes).

BACK: Work exactly as given for Front, omitting neck shaping, until armhole from first shaping measures 8 ins. (40—8½ ins.) (42—8½ ins.).

To shape shoulders: With right side of work facing, cast off 8 sts. (40—8 sts.) (42—9 sts.) beginning next 6 rows. Do not break wool.

COLLAR: Sew shoulder seams. With right side of work facing, using set of 4 needles with points at both ends, knit across sts. at back of neck. Pick up and knit 8 sts. along left side of neck. Knit across sts. on st. holder at front of neck. Pick up and knit 8 sts. along right side of neck. Working in rounds, continue even in ribbing (K1. P1) for 6 ins. Cast off loosely in ribbing.

(Continued on page 24)

**PULLOVER.** (Continued from page 23).

SLEEVES: (Sizes 40 and 42 are written exactly the same). With No. 10 needles cast on 46 sts. (all sizes). Work 2½ ins. ribbing (K1, P1). **Next row:** K5. *Inc. 1. st. in next st. K6. Repeat from * to last 6 sts. Inc. 1. st. in next st. K5. 52 sts. on needle. Change to No. 9 needles. **Next row:** K1. Purl to last st. K1. Continue in Stocking st. inc. 1. st. each end of needle on 7th and every following 8th row to 72 sts. on needle. (40—76 sts.). Continue even until sleeve measures 18 ins. from beginning (or desired length). (all sizes).

To shape cap: *Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 24 sts. on needle. (40—28 sts.). Cast off remaining sts.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew in sleeves.

PULLOVER with Cable St. Yoke.

(Not illustrated).

MATERIALS and MEASUREMENTS.
(See page 23).

TO TWIST FOR CABLE: Take a needle with points at both ends and slip the next 4 sts. onto it, letting it fall to back of work. Knit the next 4 sts. Bring the 4 sts. forward and slip them back onto the needle again. Knit these 4 sts. (the crossing of these 8 sts. will be termed "Twist" throughout).

Work Front exactly as given for Pullover with Stocking st. Yoke until work measures 17 ins. from beginning, instead of 18 ins., ending with purl row. (all sizes). (See page 23).

To start Cable st. yoke: 1st row: K1. P1. *K2. P2. K8. P2. Repeat from * to last 4 sts. K2. P1. K1. **2nd row:** *K2. P2. K2. P8. Repeat from * to last 6 sts. K2. P2. K2. Repeat 1st. and 2nd rows twice. **7th row:** K1. P1. *K2. P2. Twist. P2. Repeat from * to last 4 sts. K2. P1. K1. **8th row:** As 2nd row.

(40—1st row: K2. *P2. K2. P2. K8. Repeat from * to last 8 sts. (P2. K2) twice. **2nd row:** K1. P1. *K2. P2. K2. P8. Repeat from * to last 8 sts. K2. P2. K2. P1. K1. Repeat 1st. and 2nd rows twice. **7th row:** K2. *P2. K2. P2. Twist. Repeat from * to last 8 sts. (P2. K2) twice. **8th row:** As 2nd row).

(42—1st row: K1. P2. K2. *P2. K2. P2. K8. Repeat from * to last 11 sts. (P2. K2) twice. P2. K1. **2nd row:** K3. P2. *K2. P2. K2. P8. Repeat from * to last 11 sts. (K2. P2) twice. K3. Repeat 1st. and 2nd rows twice. **7th row:** K1. P2. K2. *P2. K2. P2. Twist. Repeat from * to last 11 sts. (P2. K2) twice. P2. K1. **8th row:** As 2nd row). Proceed:

Keeping continuity of pattern shape armholes and continue working as given for Pullover with Stocking st. Yoke.

To work the Back begin Cable st. pattern when work measures 17 ins. (as for Front) and keeping continuity of pattern, shape armholes and complete garment to correspond to Pullover with Stocking st. Yoke.

CONVALESCENT JACKET. (Continued).

TO MAKE UP: Press all pieces carefully on wrong side, being careful not to flatten ribbing. Sew all seams, leaving right shoulder open to within 2 ins. of armhole edge. Sew in sleeves. Work 1 row d.c. along back of shoulder opening and 1 row s.c. along front of shoulder opening, working 3 loops for buttonholes on front. Using wool, sew buttons to correspond to buttonholes.

MAN'S CONVALESCENT JACKET.

(Continued from page 25).

FRONT: With No. 8 needles cast on 130 sts. (40—136 sts.) (42—142 sts.). Knit 9 rows Garter st. **10th row:** Knit. **11th row:** K7. Purl to last 7 sts. K7. Repeat 10th and 11th rows until work measures 13 ins. from beginning ending with purl row. (all sizes).

To shape armholes: Cast off 7 sts. (40—7 sts.) (42—9 sts.) beginning next 2 rows, then dec. 1. st. each end of needle every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.). Continue even in Stocking st. until armhole from first shaping measures 6½ ins. (40—7 ins.) (42—7 ins.) ending with purl row.

To shape neck: K36. (40—K36) (42—K38). Turn. Leave remaining sts. on st. holder. Working on these sts. dec. 1. st. at neck edge every alternate row 6 times. (all sizes). Continue even until armhole from first shaping measures 9 ins. (40—9½ ins.) (42—9½ ins.).

To shape shoulder: At armhole edge cast off 10 sts. every alternate row 3 times. (40 as 38) (42—Cast off 8 sts. every alternate row 4 times).

Slip next 26 sts. on st. holder for neck. On remaining sts. work other shoulder to correspond.

BACK: Note: The Back is worked for shoulder warmth and to ensure maximum comfort extends only 6 ins. below armhole.

With No. 10 needles cast on 128 sts. (40—136 sts.) (42—144 sts.). Work 5 ins. ribbing (K2, P2). Change to No. 8 needles and continue even in Stocking st. until work measures 6 ins. from beginning ending with purl row. (all sizes).

To shape armholes: Continue in Stocking st. casting off 7 sts. (40—7 sts.) (42—9 sts.) beginning next 2 rows, then dec. 1. st. each end of needle every alternate row to 98 sts. on needle. (40—98 sts.) (42—102 sts.). Continue even in Stocking st. until armhole from first shaping measures 9 ins. (40—9½ ins.) (42—9½ ins.) ending with purl row.

To shape shoulders: Cast off 10 sts. beginning next 6 rows. (40 as 38) (42—Cast off 8 sts. beginning next 8 rows). Leave remaining sts. on needle. **Do not break wool.**

NECKBAND: Sew left shoulder seam. With No. 10 needles and right side of work facing, knit across sts. at back of neck. Pick up and knit 24 sts. along side of neck. Knit across sts. from st. holder at front of neck. Pick up and knit 24 sts. along other side of neck. Work 1 inch ribbing (K1, P1). Cast off loosely in ribbing.



SLEEVES: (Sizes 40 and 42 are written exactly the same). With No. 10 needles cast on 74 sts. (40—80 sts.). Knit 9 rows Garter st. Change to No. 8 needles. **10th row:** Knit. **11th row:** K1. Purl to last st. K1. Repeat 10th and 11th rows 4 times. Continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 6th row to 102 sts. on needle. (40—106 sts.). Continue even until sleeve measures 18 ins. from beginning, or desired length, (all sizes), ending with purl row.

To shape cap: **1st row:** Cast off 2 sts. Knit to end of row. **2nd row:** Cast off 2 sts. Purl to last st. K1. **3rd row:** Cast off 1. st. Knit to end of row. **4th row:** Cast off 1. st. Purl to last st. K1. Repeat these 4 rows to 42 sts. on needle. (40—46 sts.). Cast off 2 sts. beginning every row to 22 sts. on needle. (all sizes). Cast off.

(Continued in left column).

Hospital Comforts

This design is registered Serial No. 64/12,649



MAN'S CONVALESCENT JACKET

MATERIALS: 4 ply BEEHIVE FINGERING. 11 ozs. (40—11 ozs.) (42—12 ozs.).

Alternative wool: Patons & Baldwins' 4 ply SUPERIOR BOTANY FINGERING. 12 ozs. (40—12 ozs.) (42—13 ozs.). Two No. 10 and two No. 8 Beehive Knitting Needles. One Stitch Holder. 3 Buttons. One Medium Crochet Hook.

Use only either of these specified wools. It is most important the jacket should be made only of these smooth texture wools.

MEASUREMENTS:

	Size 38	Size 40	Size 42
Width all round at underarm	41 ins.	43 ins.	45 ins.
Length from top of shoulder at front	22 "	22½ "	22½ "
Length from top of shoulder at back	15 "	15½ "	15½ "
Length of sleeve underarm seam	18 "	18 "	18 "

Note: The extra width all round at underarm for each size allows the jacket to be comfortably worn over other garments.

Tension: 6½ sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—().
(Continued on page 24)

**B—BED SOCKS**

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 6 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 6 ozs. Set of 4 No. 8 Beehive Knitting Needles. (points at both ends).

MEASUREMENTS: Length of leg to bottom of heel flap 13½ ins.

Tension: 5 sts. = 1 inch.

Check tension—see page 38.

Cast on 48 sts. (16. 16. 16). Work 3½ ins. ribbing (K2. P2). **Next round:** (eyelets). *W1. fwd. K2tog. Repeat from * to end of round. Continue in ribbing until work measures 11 ins. from beginning ending with 3rd needle.

To make heel: Rib first 12 sts. off 1st. needle and slip last 12 sts. off 3rd needle onto one needle. These 24 sts. are for heel. Divide remaining 24 sts. on 2 needles and leave for instep. Work 21 rows Stocking st. on the heel sts. knitting the first and last st. of every row ending with purl row.

To shape heel: 1st row: K13. Sl. 1. K1. p.s.s.o. K1. Turn. 2nd row: P4. P2tog. P1. Turn. 3rd row: K5. Sl. 1. K1. p.s.s.o. K1. Turn. 4th row: P6. P2tog. P1. Turn. Continue in this manner working 1. st. extra every row until all sts. are on one needle ending with purl row. (14 sts. on needle). Knit back 7 sts. This is centre of heel. Put instep sts. onto one needle. (This is 2nd needle). There are 7 sts. on each of 1st. and 3rd needles and 24 sts. on 2nd needle.

To shape instep: 1st needle: K7. Pick up and knit 12 sts. along side of heel, inserting the needle through the knot formed by the stitch knitted at beginning and end of each row. 19 sts. on 1st. needle. 2nd needle: Rib across the 24 instep sts. 3rd needle: Pick up and knit 12 sts. along other side of heel. Knit remaining 7 sts. 19 sts. on 3rd needle. Proceed:—

1st round: 1st needle: Knit. 2nd needle: Rib. 3rd needle: Knit. 2nd round: 1st needle: Knit to last 4 sts. K2tog. K2. 2nd needle: Rib. 3rd needle: K2. K2tog. t.b.l. Knit to end of needle. Repeat these 2 rounds until there are 12 sts. on each of 1st. and 3rd needles and 24 sts. on 2nd needle. (48 sts. in round). Continue even until foot measures (from where sts. were picked up at heel):—

5½ ins. for size 10, 6 ins. for size 10½, 6½ ins. for size 11.

To shape toe: 1st round: *K6. K2tog. Repeat from * to end of round. Knit 3 rounds even. 5th round: *K5. K2tog. Repeat from * to end of round. Knit 3 rounds even. Continue decreasing in this manner next and every following 4th round to 18 sts. in round. **Next round:** (K2tog.) 9 times. Break wool. Thread end through remaining sts. Draw up and fasten securely on wrong side of work. Work another Bed Sock to correspond.

TO MAKE UP: Press carefully. Using 3 strands of wool 70 ins. long make a twisted cord and thread through eyelets in ribbing. Make 2 tassels and attach one to each end of cord as illustrated.

HEAD BANDAGE COVER. (Continued).

1st round: Knit, dec. 16 sts. in round spacing the dec's. on the 3 needles. Knit 2 rounds even. Repeat these 3 rounds to 32 sts. in round. Knit 2 rounds. **Next round:** (K2tog.) 16 times. Break wool. Thread end through remaining sts. Draw up and fasten securely on wrong side of work, being careful not to make a ridge or bump. Press as given for Medium Weight Amputation Covers, see page 30.

D—HOSPITAL STOCKINGS

MATERIALS: 4 ply BEEHIVE FINGERING. 9 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 9 ozs. Two No. 11 "Aero" Steel or Beehive Knitting Needles.

MEASUREMENTS: Length to bottom of heel flap 30½ ins.

Tension: 8 sts. = 1 inch.

Check tension—see page 38.

Cast on 120 sts. Work exactly as given for Heel-less Hospital Stockings, see page 30, until work measures 28 ins. from beginning ending with 3rd row. Proceed:—

1st row: Knit. Repeat this row 8 times, dec. 1. st. at end of last row. (60 sts. on needle). Proceed:—

1st row: K15. Turn. 2nd row: K15. 3rd row: K14. Turn. 4th row: K14. 5th row: K13. Turn. 6th row: K13. 7th row: K12. Turn. 8th row: K12. 9th row: K11. Turn. 10th row: K11. 11th row: K10. Turn. 12th row: K10. 13th row: K9. Turn. 14th row: K9. 15th row: K8. Turn. 16th row: K8. 17th row: K7. Turn. 18th row: K7. 19th row: K7. Lift up the right hand side of the loop just before the 8th st. and knit the 2 tog. (thus preventing a hole). Turn. 20th row: K8. 21st row: K8. Lift up the right hand side of the loop just before the 9th st. and knit the 2 tog. Turn. Continue in this manner, knitting 1. st. more in every alternate row until 15 sts. are worked onto the needle. Turn. **Next row:** K15. (thus completing the first half of the heel). **Next row:** K15. Lift up the right hand side of the loop before the 16th st. and knit the 2 tog. K44. Knit from 1st. to 21st. row as given for first half of heel. Continue to correspond to first half of heel until 15 sts. are worked onto the needle. Turn. **Next row:** K15. (thus completing second half of heel). **Next row:** K15. Lift up the right hand side of the loop just before the 16th st. and knit the 2 tog. K44. Work 6 ins. Garter st. ending with wrong side of work facing.

To shape toe: 1st row: (K12. K2tog. K2. K2tog. K12) twice. 2nd and alternate rows: Knit. 3rd row: (K11. K2tog. K2. K2tog. K11) twice. 5th row: (K10. K2tog. K2. K2tog. K10) twice. 7th row: (K9. K2tog. K2. K2tog. K9) twice. 9th row: (K8. K2tog. K2. K2tog. K8) twice. 11th row: (K7. K2tog. K2. K2tog. K7) twice. 13th row: (K6. K2tog. K2. K2tog. K6) twice. 15th row: (K5. K2tog. K2. K2tog. K5) twice. Cast off.

Work another Stocking to correspond.

TO MAKE UP: Press carefully. Sew up leg and foot seams. Placing the seam to centre of cast-off sts., sew up toe seam.

F—HEAD BANDAGE COVER

MATERIALS: 4 ply BEEHIVE FINGERING. 1 oz. Use White only. Set of 4 No. 8 and set of 4 No. 7 Beehive Knitting Needles. (points at both ends).

Tension: 6½ sts. = 1 inch with No. 8 needles.

Check tension—see page 38.

With No. 7 needles cast on 128 sts. loosely. (44.44.40). (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 5 rounds ribbing (K2. P2). Change to No. 8 needles and continue in ribbing until work measures 4 ins. from beginning. Knit 9 rounds plain knitting. Proceed:—

Note: It is very necessary to space the dec's. unevenly so that no dec. is made over the previous dec. and so form a ridge. This article must be free of ridges of any kind.

(Continued in left column)



A—SHOULDER WRAP—See page 30.
B—BED SOCKS—See page 26.
C—HEEL-LESS HOSPITAL STOCKINGS—See page 30.

D—HOSPITAL STOCKINGS—See page 26.
E—BODY BELT—See below.
F—HEAD BANDAGE COVER—See page 26.
G—HEEL-LESS BED SOCKS—See below.

E—BODY BELT

MATERIALS: 4 ply BEEHIVE FINGERING. 4 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 4 ozs. Two No. 11 and two No. 9 Beehive Knitting Needles.

Tension: 7 sts.=1 inch.

Check tension—see page 38.

With No. 11 needles cast on 180 sts. 1st row: K2. *P1. K1. Repeat from * to end of row. Repeat this row for 3 ins. Change to No. 9 needles and repeat 1st. row until work measures 11 ins. from beginning. Change to No. 11 needles and repeat 1st. row for 3 ins. Cast off in ribbing.

TO MAKE UP: Press carefully. Sew up seam.

G—HEEL-LESS BED SOCKS

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 6 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 6 ozs. Two No. 8 Beehive Knitting Needles. (10 ozs. will make 2 prs.).

Tension: 5 sts.=1 inch.

Check tension—see page 38.

Cast on 90 sts. **1st and 2nd rows: Knit. 3rd row: K1. P29. K60. 4th row: Knit. 5th row: As 3rd row. 6th and 7th rows: Knit. 8th row: K60. P29. K1. 9th row: Knit. 10th row: As 8th row.** Repeat from ** to ** 6 times. Cast off loosely. Work another sock to correspond.

TO MAKE UP: Press carefully. Sew cast-on edge to the cast-off edge and the ridges formed at the plain knitted end of the sock.

**AMPUTATION COVERS****LIGHT WEIGHT** (Illustrated on page 29)

MATERIALS FOR LEG COVERS: 2 ply BEEHIVE FINGERING. Use White only. **13 inch Length** requires 1 oz. **18 inch Length**, 1½ ozs. **25 inch Length**, 2 ozs. Set of 4 No. 10 and set of 4 No. 9 Beehive Knitting Needles. (points at both ends), for all sizes.

MATERIALS FOR ARM COVERS: Same needles and approximately same quantity of wool as for Leg Covers. Make only 13 and 18 inch Lengths.

Tension: 8½ sts.=1 inch with No. 10 needles.

Check tension—see page 38.

The instructions are written for the Leg Covers. The Arm Covers are written in brackets thus:—().

13 inch LENGTH: (Width all round at widest part 15 ins.). (*Arm Cover—14 ins.*). With No. 9 needles cast on 148 sts. loosely. (48. 48. 52). (*Arm Cover—124 sts.* (40. 40. 44)). (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 5 rounds ribbing (K2. P2). Change to No. 10 needles and continue even in ribbing until work measures 3 ins. from beginning inc. 2 sts. in last round. 150 sts. in round. (*Arm Cover—126 sts.*). Continue even in plain knitting until work from beginning measures 4 ins. (*Arm Cover—6 ins.*). Proceed:—

***Note: It is very necessary to space the dec's. unevenly so that no dec. is made over the previous dec. and so form a ridge. This article must be free of ridges of any kind.

1st and 2nd dec. rounds: (Leg Cover only). Knit, dec. 10 sts. in round spacing the decreases on the 3 needles. Work 1 inch even in plain knitting after the 1st. and after the 2nd dec. round, also after each of the following dec. rounds. **Next 2 dec. rounds:** (*Start dec. Arm Cover with these 2 dec. rounds.*). Knit, dec. 9 sts. in round. **Next 2 dec. rounds:** Knit, dec. 8 sts. in round. **Next 2 dec. rounds:** Knit, dec. 7 sts. in round. **9th dec. round:** (*Arm Cover—7th dec. round.*). Knit, dec. 7 sts. in round. 75 sts. in round. (*Arm Cover—71 sts.*). **Work 3 rounds even. **Next dec. round:** Knit, dec. 15 sts. in round. ** Repeat from ** to ** to 30 sts. in round. (*Arm Cover—26 sts.*). Knit 1 round. **Next round:** *K2tog. Repeat from * to end of round. Break wool. Thread end through remaining sts. Draw up and fasten securely on wrong side of work, being careful not to make a ridge or bump.***

18 inch LENGTH: (Width all round at widest part 18 ins.). (*Arm Cover—15 ins.*). With No. 9 needles cast on 148 sts. loosely. (48. 48. 52). (*Arm Cover—124 sts.* (40. 40. 44)). (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 3 ins. ribbing (K2. P2) inc. 2 sts. in last round. 150 sts. in round. (*Arm Cover—126 sts.*). Continue even in plain knitting until work measures 5 ins. from beginning. Change to No. 10 needles and continue in plain knitting until work from beginning measures 9 ins. (*Arm Cover—11 ins.*), then work from *** to *** as given for 13 inch Length.

(Continued on page 30)

MEDIUM WEIGHT (Illustrated on page 29)

MATERIALS FOR LEG COVERS: 4 ply BEEHIVE FINGERING or 4 ply MISS CANADA FINGERING. Use White only. **13 inch Length** requires 1½ ozs. **18 inch Length**, 2½ ozs. **25 inch Length**, 3½ ozs. Set of 4 No. 8 and set of 4 No. 7 Beehive Knitting Needles. (points at both ends), for all sizes.

MATERIALS FOR ARM COVERS: Same needles and approximately same quantity of wool as for Leg Covers. Make only 13 inch and 18 inch Lengths.

Tension: 6½ sts.=1 inch with No. 8 needles.

Check tension—see page 38.

The instructions are written for the Leg Covers. The Arm Covers are written in brackets thus:—().

13 inch LENGTH: (Width as for Light Weight Cover, see next column). With No. 7 needles cast on 116 sts. loosely. (36. 40. 40). (*Arm Cover—96 sts.* 32. 32. 32). (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 5 rounds ribbing (K2. P2). Change to No. 8 needles and continue even in ribbing until work measures 3 ins. from beginning. Continue even in plain knitting until work from beginning measures 4 ins. (*Arm Cover—6 ins.*). Proceed:—

***Note: It is very necessary to space the dec's. unevenly so that no dec. is made over the previous dec. and so form a ridge. This article must be free of ridges of any kind.

1st and 2nd dec. rounds: (Leg Cover only). Knit, dec. 8 sts. in round spacing the decreases on the 3 needles. Work 1 inch even in plain knitting after the 1st. and after the 2nd dec. round, also after each of the following dec. rounds. **Next 2 dec. rounds:** (*Start dec. Arm Cover with these 2 dec. rounds.*). Knit, dec. 7 sts. in round. **Next 2 dec. rounds:** Knit, dec. 6 sts. in round. **Next 2 dec. rounds:** Knit, dec. 5 sts. in round. **9th dec. round:** (*Arm Cover—7th dec. round.*). Knit, dec. 5 sts. in round. 59 sts. in round. (*Arm Cover—55 sts.*). **Work 2 rounds even. **Next dec. round:** Knit, dec. 11 sts. in round. ** Repeat from ** to ** to 26 sts. in round. (*Arm Cover—22 sts.*). Knit 1 round. **Next round:** *K2tog. Repeat from * to end of round. Break wool. Finish as for Light Weight Cover, see next column.***

18 inch LENGTH: (Width as for Light Weight Cover, see next column). With No. 7 needles cast on 116 sts. loosely. (36. 40. 40). (*Arm Cover—96 sts.* 32. 32. 32). (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 3 ins. ribbing (K2. P2). Continue even in plain knitting until work measures 5 ins. from beginning. Change to No. 8 needles and continue in plain knitting until work from beginning measures 9 ins. (*Arm Cover—11 ins.*) then work from *** to *** as given for 13 inch Length.


25 inch LENGTH: (Width as for Light Weight Cover, see page 30). With No. 7 needles cast on 124 sts. (40. 40. 44) loosely. (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 3 ins. ribbing (K2. P2). Continue even in plain knitting until work measures 8 ins. from beginning.

(Continued on page 30)




AMPUTATION COVERS (See opposite page)


LIGHT WEIGHT





ARM COVERS



MEDIUM WEIGHT



LEG COVERS





SHOULDER WRAPS

These shoulder wraps are square and are worn folded as a shawl. They are also thrown over the head of the bed to prevent draught.

A—KNITTED SHOULDER WRAP

(Illustrated on page 27).

MATERIALS: 4 ply BEEHIVE FINGERING. 10 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 10 ozs. Two No. 7 Beehive Knitting Needles.

MEASUREMENTS: Approx. 30 ins. square.

Tension: 6 sts. = 1 inch.

Check tension—see page 38.

Cast on 209 sts. **1st row:** K1. P1. to last st. K1. Repeat 1st. row 7 times. **9th row:** K1. (P1. K1) 3 times. Knit to last 6 sts. dec. 6 sts. across row. (P1. K1) 3 times. Keeping 7 sts. each end in Moss st. and remainder in plain knitting (Garter st.) continue even until work measures 29 ins. from beginning, inc. 6 sts. across last row. Repeat 1st. row 8 times. Cast off.

C—HEEL-LESS HOSPITAL STOCKINGS (Illustrated on page 27)

MATERIALS: P & B SUPERIOR DOUBLE KNITTING. 10 ozs.

Alternative wool: Patons & Baldwins' 4 ply EXCELSIOR SCOTCH FINGERING. 10 ozs. Two No. 8 Beehive Knitting Needles.

MEASUREMENTS: Length 28 ins.

Tension: 5 sts. = 1 inch.

Check tension—see page 38.

Cast on 84 sts. **1st row:** K3. *P2. K2. Repeat from * to last st. K1. **2nd row:** K1. P2. *K2. P2. Repeat from * to last st. K1. Repeat 1st. and 2nd rows until work measures 10 ins. from beginning ending with 2nd row. Proceed:—

1st row: K3. *P2tog. K2. Repeat from * to last st. K1. **2nd row:** *K1. P2. Repeat from * to last st. K1. **3rd row:** K3. *P1. K2. Repeat from * to last st. K1. Repeat 2nd and 3rd rows until work measures 20 ins. from beginning ending with 2nd row. Proceed:—

1st row: K1. K2tog. *P1. K2tog. Repeat from * to last st. K1. **2nd row:** K1. *P1. K1. Repeat from * to end of row. **3rd row:** K2. *P1. K1. Repeat from * to last st. K1. Repeat 2nd and 3rd rows until work measures 28 ins. from beginning (or desired length) ending with 2nd row. Cast off in ribbing.

Work another Stocking to correspond.

TO MAKE UP: Press carefully. Sew up side seam.

LIGHT WEIGHT AMPUTATION COVER. (Continued from page 28).

25 inch LENGTH: (Width all round at widest part 20 ins.). With No. 9 needles cast on 160 sts. (52. 52. 56) loosely. (Do not knit into back of cast-on sts. as this tightens the edge too much). Work 3 ins. ribbing (K2. P2). Continue even in plain knitting until work measures 8 ins. from beginning. **Next round:** Knit, dec. 10 sts. in round, spacing the decreases on the 3 needles. Continue even until work measures 12 ins. from beginning. Change to No. 10 needles and continue even until work measures 16 ins. from beginning, then work from *** to *** as given for 13 inch Length.

TO PRESS: See Medium Weight Amputation Covers, next column.

ALTERNATIVE KNITTED SHOULDER WRAP (Not illustrated).

MATERIALS: Left over wools of same weight. Two Beehive Knitting Needles.

MEASUREMENTS: Approx. 30 ins. square.

Cast on 3 sts. **1st row:** Knit. **2nd row:** Inc. 1. st. in 1st. st. Knit to last st. Inc. 1. st. in last st. Repeat these 2 rows until work measures 30 ins. at side edge. Continue in plain knitting dec. 1. st. each end of needle every alternate row to 3 sts. Cast off.

CROCHETED SHOULDER WRAP

(Not illustrated).

MATERIALS: Left over wools of same weight. One Medium Crochet Hook.

MEASUREMENTS: Approx. 30 ins. square.

Crochet 36 squares 5 ins. square. Join together in rows of 6. They may be joined either by sewing or crochet.

ANOTHER KNITTED SHOULDER WRAP may be made in the same manner (in blocks) by following the instructions for the Alternative Knitted Shoulder Wrap, see above, inc. until side edge measures 5 ins. instead of 30 ins. Join as given for Crocheted Shoulder Wrap.

D—KNEE CAP (Illustrated on page 15).

MATERIALS: 4 ply BEEHIVE FINGERING. 2 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 2 ozs. Two No. 11 "Aero" Steel Knitting Needles.

Tension: 8 sts. = 1 inch.

Check tension—see page 38.

Cast on 96 sts. **1st row:** *K2. P2. Repeat from * to last 4 sts. K2. P1. K1. Repeat 1st. row for 2½ ins. Rib 52 sts. Turn.

To shape cap: Knit remainder of Cap in Garter st. **1st row:** K8. Turn. **2nd row:** K9. Turn. **3rd row:** K10. Turn. Continue in this manner, knitting 1 more st. in each row until 24 ribbed sts. are left at each side of Cap. Turn. Leaving these 24 sts. at each side, knit to last 3 sts. of Cap. K2tog. K1. Turn. **Next row:** Knit to last 3 sts. of Cap. K2tog. K1. Turn. Continue in this manner, dec. 1. st. at end of every row to 8 sts. Pick up and knit 20 sts. along side of Cap, then work 24 sts. in rib. **Next row:** (K2. P2) 13 times. Pick up and purl 20 sts. along other side of Cap. (K2. P2) 5 times. K2. P1. K1. Work 2½ ins. ribbing. Cast off in ribbing.

Work another Knee Cap to correspond.

TO MAKE UP: Press carefully. Sew up seam.

MEDIUM WEIGHT AMPUTATION COVER. (Continued from page 28).

Next round: Knit, dec. 8 sts. in round spacing the decreases on the 3 needles. Continue even until work measures 12 ins. from beginning. Change to No. 8 needles and continue even until work measures 16 ins. from beginning, then work from *** to *** as given for 13 inch Length.

TO PRESS: Turn Cover inside out. Using rustless pins, pin into shape. Cover with wet towel. Steam with hot iron. Do not rest weight of iron on cover to flatten it. Remove towel and pins and leave until dry.

SPECIAL SUPPLEMENT
Women's Service Comforts



(Left)—LADY'S CARDIGAN without sleeves—
See page 32. With sleeves—See page 38.

(Right)—LADY'S SLEEVELESS PULLOVER—
See page 33.

**LADY'S CARDIGAN** with or without sleeves.*(Illustrated on page 31).*

MATERIALS: 4 ply BEEHIVE FINGERING. 6 ozs. (36—7 ozs.) (38—7 ozs.). 3 ozs. extra for Long Sleeves.

Alternative wool: 4 ply MISS CANADA FINGERING. 6 ozs. (36—7 ozs.) (38—7 ozs.). 3 ozs. extra for Long Sleeves. Two No. 9 Beehive Knitting Needles. 6 Buttons. One Stitch Holder.

MEASUREMENTS:

	Bust	34 ins.	36 ins.	38 ins.
Length from top of shoulder	20 "	20½ "	20½ "	
Length of sleeve underarm seam	17 "	17 "	17 "	

Tension: 7 sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 34. Sizes 36 and 38 are written in brackets thus:—(). For size 32 follow the size 34 instructions and use No. 10 needles.

CARDIGAN without sleeves.*(Illustrated on page 31).*

RIGHT FRONT: Cast on 47 sts. (36—51 sts.) (38—55 sts.). Knit 5 rows Garter st. **6th row:** (1st. buttonhole). K2. Cast off 2 sts. Knit to end of row. **7th row:** Knit, casting on 2 sts. in place of the cast-off sts. Knit 4 rows. **12th row:** K1. *K6. Inc. 1. st. in next st. K7. Repeat from * twice. Knit to end of row. 50 sts. on needle. (36—54 sts.) (38—58 sts.). **13th row:** K1. Purl to last 6 sts. K6. **14th row:** Knit. Repeat 13th and 14th rows 5 times then 13th row once. **Next row:** (2nd buttonhole). K2. Cast off 2 sts. Knit to end of row. **Next row:** K1. Purl to last 4 sts. K2. Cast on 2 sts. K2. Repeat 14th row once, then 13th and 14th rows 8 times.

To shape pocket edge: **1st row:** K1. P5. (36—K1. P7) (38—K1. P9). K24. Purl to last 6 sts. K6. **2nd row:** (3rd buttonhole). K2. Cast off 2 sts. Knit to end of row. **3rd row:** K1. P5. (36—K1. P7) (38—K1. P9). K24. Purl to last 4 sts. K2. Cast on 2 sts. K2. **4th row:** Knit. **5th row:** As 1st. row. **6th row:** Knit. **7th row:** K1. P5. (36—K1. P7) (38—K1. P9). Cast off 24 sts. Purl to last 6 sts. K6. Leave these sts. on st. holder until pocket piece has been worked.

To make pocket: Cast on 24 sts. Work 3½ ins. Stocking st. ending with purl row. Beginning again on sts. of Front, knit across row, knitting across pocket sts. in place of cast-off sts. Keeping Garter st. border at Front edge continue in Stocking st. inc. 1. st. at side edge every 4th row to 62 sts. on needle. (36—66 sts.) (38—70 sts.) working 3 more buttonholes 18 rows, (approx. 2 ins.) apart, ending with purl row. Work now measures approx. 11 ins. from beginning.

To shape neck: At neck edge dec. 1. st. inside Garter st. border on next and following 6th row. Proceed:—

To shape armhole: **1st row:** (armhole edge). K13. Purl to last 6 sts. K6. (neck edge). **2nd row:** Knit. **3rd row:** K15. Purl to last 6 sts. K6. **4th row:** Knit. **5th row:** K16. Purl to last 6 sts. K6. **6th row:** K6. K2tog. Knit to end of row. **7th row:** As 5th row. **8th row:** Knit. **9th row:** Cast off 10 sts. K6. Purl to last 6 sts. K6. Keeping Garter st. borders at both edges, dec. 1. st. inside border at armhole edge every alternate row 10 times. (36—10 times) (38—11 times), at same time continue dec. 1. st. at neck edge every 6th row. Keeping armhole edge even continue decreasing at neck edge as before to 28 sts. on needle. (36—30 sts.) (38—32 sts.). Continue even until armhole from first shaping measures 7½ ins. (36—8 ins.) (38—8 ins.).

To shape shoulder: At armhole edge cast off 11 sts. (36—12 sts.) (38—13 sts.) every alternate row twice. Knit 2 ins. even in Garter st. on remaining 6 sts. Cast off.

LEFT FRONT: Cast on 47 sts. (36—51 sts.) (38—55 sts.). Knit 11 rows Garter st. **12th row:** K4. (36—K8) (38—K12). *K7. Inc. 1. st. in next st. K6. Repeat from * twice. K1. 50 sts. on needle. (36—54 sts.) (38—58 sts.). **13th row:** K6. Purl to last st. K1. **14th row:** Knit. Continue to correspond to Right Front omitting buttonholes and being careful to have all shapings for opposite side.

BACK: Cast on 84 sts. (36—90 sts.) (38—96 sts.). Knit 11 rows Garter st. **12th row:** *K12. Inc. 1. st. in next st. Repeat from * 5 times. Knit to end of row. 90 sts. on needle. (36—96 sts.) (38—102 sts.). **13th row:** K1. Purl to last st. K1. **14th row:** Knit. Repeat 13th and 14th rows until work measures 5½ ins. from beginning ending with purl row. Continue in Stocking st. inc. 1. st. each end of needle every 4th row to 114 sts. on needle. (36—120 sts.) (38—126 sts.). Continue even until work measures 11½ ins. from beginning ending with knit row.

To shape armholes: **1st row:** K9. Purl to last 9 sts. K9. **2nd and alternate rows:** Knit. **3rd row:** K11. Purl to last 11 sts. K11. **5th row:** K13. Purl to last 13 sts. K13. **7th row:** K14. Purl to last 14 sts. K14. **9th row:** As 7th row. **10th row:** Cast off 8 sts. Knit to end of row. **11th row:** Cast off 8 sts. K6. Purl to last 6 sts. K6. Keeping a border of 6 sts. in Garter st. at each side, continue in Stocking st. dec. 1. st. each end of needle inside border every alternate row to 78 sts. on needle. (36—82 sts.) (38—86 sts.). Continue even until armhole from first shaping measures 7½ ins. (36—8 ins.) (38—8 ins.).

To shape shoulders: Cast off 11 sts. (36—12 sts.) (38—13 sts.) beginning next 4 rows. Cast off remaining sts.

TO MAKE UP: Press all pieces carefully. Sew side and shoulder seams. Sew ends of ribbing across back of neck. Sew pocket pieces in position on wrong side. Sew buttons to correspond to buttonholes.

A—LADY'S MOSS STITCH SCARF*(Illustrated on page 37)*

MATERIALS: 4 ply BEEHIVE FINGERING. 4 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 4 ozs. Two No. 8 Beehive Knitting Needles.

MEASUREMENTS: Length 46 ins. Width 9 ins.

Tension: 6½ sts. = 1 inch.

Check tension—see page 38.

Cast on 52 sts. Knit 10 rows Garter st. **11th row:** K5. *Inc. 1. st. in next st. K9. Repeat from * to last 7 sts. Inc. 1. st. in next st. K6. (57 sts. on needle). **12th row:** K1. *P1. K1. Repeat from * to end of row. Repeat 12th row until work measures 45 ins. from beginning. **Next row:** K5. *K2tog. K9. Repeat from * to last 8 sts. K2tog. K6. (52 sts. on needle). Knit 10 rows Garter st. Cast off.

LADY'S SLEEVELESS PULLOVER (Illustrated on page 31).

MATERIALS: 4 ply BEEHIVE FINGERING. 5 ozs. (36—6 ozs.) (38—7 ozs.).
Alternative wool: 4 ply MISS CANADA FINGERING. 6 ozs. (36—6 ozs.) (38—7 ozs.).

For Needles and Tension see Lady's Pullover with "V" Neck, page 34.

MEASUREMENTS:

Bust 34 ins. 36 ins. 38 ins.
 Length from top of shoulder 20 " 20½ " 20½ "

The instructions are written for size 34. Sizes 36 and 38 are written in brackets thus:—(). For size 32 follow the size 34 instructions and use No. 12 needles in place of No. 11 needles and No. 10 needles in place of No. 9 needles.

FRONT: With No. 11 needles cast on 98 sts. (36—104 sts.) (38—112 sts.). Work 3 ins. ribbing (K1. P1). Change to No. 9 needles and continue in Stocking st. inc. 1. st. each end of needle on 19th and every following 6th row to 112 sts. on needle. (36—118 sts.) (38—126 sts.). Continue even until work measures 10 ins. from beginning ending with purl row.

To shape neck: 1st row: K1. Inc. 1. st. in next st. K47. (36—K50) (38—K54). (K1. P1) 3 times. K2tog. (P1. K1) 3 times. Knit to last 2 sts. Inc. 1. st. in next st. K1. 2nd row: K1. P49. (36—K1. P52) (38—K1. P56). (K1. P1) 6 times. K1. Purl to last st. K1. 3rd row: K49. (36—K52) (38—K56). (P1. K1) 8 times. Knit to end of row. 4th row: K1. P47. (36—K1. P50) (38—K1. P54). (K1. P1) 8 times. K1. Purl to last st. K1. 5th row: K47. (36—K50) (38—K54). (P1. K1) 10 times. Knit to end of row. 6th row: K1. P45. (36—K1. P48) (38—K1. P52). (K1. P1) 10 times. K1. Purl to last st. K1. Repeat 5th and 6th rows once. 9th row: K46. (36—K49) (38—K53). (K1. P1) 3 times. K1. Cast off 7 sts. in Moss st. K1. (P1. K1) 3 times. Knit to end of row. Working on last 53 sts. (36—56 sts.) (38—60 sts.) and leaving remaining sts. on st. holder, proceed:—

1st and alternate rows: K1. Purl to last 7 sts. (K1. P1) 3 times. K1. 2nd row: K1. (P1. K1) 3 times. K2tog. Knit to end of row. 4th row: K1. (P1. K1) 3 times. Knit to end of row.

To shape armhole: 1st row: K1. (P1. K1) 3 times. K2tog. Knit to last 9 sts. (K1. P1) 4 times. K1. 2nd row: K1. (P1. K1) 4 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 3rd row: K1. (P1. K1) 3 times. Knit to last 11 sts. (K1. P1) 5 times. K1. 4th row: K1. (P1. K1) 5 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 5th row: K1. (P1. K1) 3 times. K2tog. Knit to last 13 sts. (K1. P1) 6 times. K1. 6th row: K1. (P1. K1) 6 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 7th row: K1. (P1. K1) 3 times. Knit to last 13 sts. (K1. P1) 6 times. K1. Repeat the 6th row once, then the 5th row once. 10th row: Cast off 6 sts. in Moss st. K1. (P1. K1) 3 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 11th row: K1. (P1. K1) 3 times. Knit to last 9 sts. K2tog. (K1. P1) 3 times. K1. 12th row: K1. (P1. K1) 3 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 13th row: K1. (P1. K1) 3 times. K2tog. Knit to last 9 sts. K2tog. (K1. P1) 3 times. K1. Keeping Moss st. borders at both edges, dec. 1. st. inside border at armhole edge every alternate row 5 times. (36—7 times) (38—8 times) at same time dec. 1. st. inside border at neck edge every 4th row twice. (36—3 times) (38—4 times). Keeping neck edge even

dec. 1. st. inside border at armhole edge every 4th row twice. (all sizes). 31 sts. on needle. (36—31 sts.) (38—33 sts.). Still keeping borders at both edges continue even until armhole from first shaping measures 7½ ins. (36—8 ins.) (38—8 ins.).

To shape shoulder: At armhole edge cast off 8 sts. every alternate row 3 times. (36 as 34) (38—Cast off 9 sts. every alternate row twice, 8 sts. once). Work 2 ins. Moss st. on remaining 7 sts. Cast off.

Join wool at neck edge to sts. left on st. holder. Proceed:—

1st row: K1. (P1. K1) 3 times. Purl to last st. K1. **2nd row:** Knit to last 9 sts. K2tog. (K1. P1) 3 times. K1. Continue to correspond to other side being careful to have all shapings for opposite side.

BACK: Work exactly as given for Front to 112 sts. on needle. (36—118 sts.) (38—126 sts.). Continue even until work measures 10 ins. from beginning ending with purl row. Inc. 1. st. each end of needle on next row, then work 13 rows even ending with purl row.

To shape armholes: 1st row: K1. (P1. K1) 4 times. Knit to last 9 sts. (K1. P1) 4 times. K1. 2nd row: K1. (P1. K1) 4 times. Purl to last 9 sts. (K1. P1) 4 times. K1. 3rd row: K1. (P1. K1) 5 times. Knit to last 11 sts. (K1. P1) 5 times. K1. 4th row: K1. (P1. K1) 5 times. Purl to last 11 sts. (K1. P1) 5 times. K1. 5th row: K1. (P1. K1) 6 times. Knit to last 13 sts. (K1. P1) 6 times. K1. 6th row: K1. (P1. K1) 6 times. Purl to last 13 sts. (K1. P1) 6 times. K1. Repeat 5th and 6th rows once. 9th row: Cast off 6 sts. in Moss st. K1. (P1. K1) 3 times. Knit to last 13 sts. (K1. P1) 6 times. K1. 10th row: Cast off 6 sts. in Moss st. K1. (P1. K1) 3 times. Purl to last 7 sts. (K1. P1) 3 times. K1. 11th row: K1. (P1. K1) 3 times. K2tog. Knit to last 9 sts. K2tog. (K1. P1) 3 times. K1. Keeping Moss st. borders at both edges, dec. 1. st. inside borders every alternate row to 88 sts. on needle. (36—90 sts.) (38—96 sts.) then every 4th row to 84 sts. on needle. (36—86 sts.) (38—92 sts.). Continue even until armhole from first shaping measures 7½ ins. (36—8 ins.) (38—8 ins.) ending with purl row.

To shape shoulders: Cast off 8 sts. beginning next 6 rows. (36 as 34) (38—Cast off 9 sts. beginning next 4 rows, then 8 sts. beginning following 2 rows). Cast off remaining sts.

TO MAKE UP: Press pieces carefully. Sew side and shoulder seams. Sew ends of border across back of neck.

E—LADY'S ANKLE SOCKS with double heel and flat toe.

(Illustrated on page 37)

MATERIALS: 4 ply BEEHIVE FINGERING. 3 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 3 ozs.

For Needles and Tension see Lady's Knee Stockings page 18.

Cast on 64 sts. (20. 22. 22). Work 4 ins. ribbing (K1. P1). Knit 1 inch plain knitting. Repeat from ¶ to ¶ as given for Lady's Knee Stockings, see page 18.

**LADY'S PULLOVER** with "V" or Round Neck.

MATERIALS: 4 ply BEEHIVE FINGERING. 10 ozs. (36—11 ozs.) (38—12 ozs.).
Alternative wool: 4 ply MISS CANADA FINGERING. 10 ozs. (36—11 ozs.) (38—12 ozs.). Two No. 11 and two No. 9 Beehive Knitting Needles. One Stitch Holder.

MEASUREMENTS:

	Bust	34 ins.	36 ins.	38 ins.
Length from top of shoulder	21½ "	22 "	22 "	22 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 7 sts. = 1 inch.

Check tension—see page 38.

The instructions are written for size 34. Sizes 36 and 38 are written in brackets thus:—(). For a size 32 follow the size 34 instructions and use No. 12 needles in place of No. 11 needles and No. 10 needles in place of No. 9 needles.

PULLOVER with "V" neck.

FRONT: With No. 11 needles cast on 104 sts. (36—110 sts.) (38—118 sts.). Work 2½ ins. ribbing (K1. P1) inc. 1. st. at end of last row. Change to No. 9 needles and continue even in Stocking st. until work measures 6½ ins. from beginning ending with purl row.

To make pocket tops: 1st row: K5. (K1. P1) 13 times. K43. (P1. K1) 13 times. K5. 2nd row: K1. P4. (P1. K1) 13 times. P43. (K1. P1) 13 times. P4. K1.

(36—1st row: K7. (K1. P1) 13 times. K45. (P1. K1) 13 times. K7. 2nd row: K1. P6. (P1. K1) 13 times. P45. (K1. P1) 13 times. P6. K1).

(38—1st row: K10. (K1. P1) 13 times. K47. (P1. K1) 13 times. K10. 2nd row: K1. P9. (P1. K1) 13 times. P47. (K1. P1) 13 times. P9. K1).

Repeat 1st. and 2nd rows once, then 1st. row once.
6th row: K1. P4. Cast off 27 sts. in ribbing. P41. Cast off 27 sts. in ribbing. P4. K1. (36—K1. P6. Cast off 27 sts. in ribbing. P43. Cast off 27 sts. in ribbing. P6. K1) (38—K1. P9. Cast off 27 sts. in ribbing. P45. Cast off 27 sts. in ribbing. P9. K1). Leave these sts. on spare needle until pockets have been worked.

To make pockets: With No. 9 needles cast on 27 sts. Work 4 ins. Stocking st. ending with purl row. Leave on st. holder. Make another pocket to correspond.

Beginning again on sts. of Front knit across row, knitting across the pocket sts. in place of the cast-off 9 ins. Continue even in Stocking st. until work measures 9 ins. from beginning ending with purl row. Inc. 1. st. each end of needle on next and every following 12th row to 113 sts. on needle. (36—119 sts.) (38—127 sts.). Continue even until work measures 14½ ins. from beginning ending with purl row.

To shape armholes: Cast off 3 sts. (36—3 sts.) (38—4 sts.) beginning next 6 rows, then dec. 1. st. each end of needle every alternate row to 91 sts. on needle. (36—95 sts.) (38—99 sts.) ending with purl row.

To shape neck: 1st row: K1. K2tog. K34. (36—K36) (38—K38). (K1. P1) 8 times. Knit to last 3 sts. K2tog. K1. 2nd row: K1. P35. (36—K1. P37) (38—K1. P39). (P1. K1) 8 times. Purl to last st. K1. 3rd row: K1. K2tog. K33. (36—K35) (38—K37). (K1. P1) 8 times. Knit to last 3 sts. K2tog. K1. 4th row: K1. P34. (36—K1. P36) (38—K1. P38). (P1. K1) 8 times. Purl to last st. K1. 5th row: K1. K2tog. K32. (36—K34) (38—K36). (K1. P1) 8 times. Knit to last 3 sts. K2tog. K1. 6th row: K1. P33. (36—K1. P35) (38—K1. P37). (P1. K1) 8 times. Purl to last st. K1. 7th row: K1. K2tog. K31. (36—K33) (38—K35). (K1. P1) 8 times. Knit to last 3 sts. K2tog. K1. 8th row: K1. P32. (36—K1. P34) (38—K1. P36). (P1. K1) 8 times. Purl to last st. K1. 9th row: K33. (36—K35) (38—K37). (K1. P1) 3 times. K1. K2tog. Turn. Working on these last 41 sts. (36—43 sts.) (38—45 sts.) and leaving remaining sts. on st. holder, proceed:—

1st row: (K1. P1) 4 times. Purl to last st. K1. 2nd row: Knit to last 10 sts. K2tog. (K1. P1) 3 times. K2. Keeping a border of 8 sts. in ribbing at neck edge continue in Stocking st. dec. 1. st. at neck edge inside border every 4th row to 29 sts. on needle. (36—31 sts.) (38—32 sts.). Continue even until armhole from first shaping measures 7 ins. (36—7½ ins.) (38—7½ ins.).

To shape shoulder: At armhole edge cast off 7 sts. every alternate row 3 times. (36—Cast off 8 sts. twice, 7 sts. once) (38—Cast off 8 sts. 3 times). Work 2 ins. ribbing on remaining 8 sts. Cast off in ribbing.

Join wool at neck edge to sts. left on st. holder. Proceed:—

1st row: K2. (P1. K1) 3 times. Knit to end of row. 2nd row: K1. Purl to last 8 sts. (P1. K1) 4 times. Dec. 1. st. inside border at neck edge on next row, continue to correspond to other side.

BACK: Omitting pockets, work exactly as given for Front to 91 sts. on needle. (36—95 sts.) (38—99 sts.) ending with purl row. Continue dec. 1. st. each end of needle on next and every alternate row to 83 sts. on needle. (36—87 sts.) (38—91 sts.). Continue even until armhole from first shaping measures 7 ins. (36—7½ ins.) (38—7½ ins.), ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 6 rows. (36—Cast off 8 sts. beginning next 4 rows, 7 sts. beginning following 2 rows) (38—Cast off 8 sts. beginning next 6 rows). Cast off remaining sts.

SLEEVES: (Size 36 and 38 are written exactly the same). With No. 11 needles cast on 48 sts. (36—54 sts.). Work 3½ ins. ribbing (K1. P1) increasing across last row to 56 sts. on needle. (36—62 sts.). Change to No. 9 needles and continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 8th row to 78 sts. on needle. (36—84 sts.). Continue even until sleeve measures 17 ins. from beginning, or desired length. (all sizes).

To shape cap: *Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 18 sts. on needle. (36—24 sts.). Cast off.

TO MAKE UP: Press all pieces carefully. Sew all seams. Sew ends of ribbing across back of neck. Sew the pockets in position on wrong side.

Pullover and Knee Stockings

Lady's Pullover with "V" or round neck—see page 34.

Knee Stockings—see page 18.



LADY'S PULLOVER with round neck (*Not illustrated*).

MATERIALS and MEASUREMENTS.
(*See left column, page 34.*)

FRONT: Work exactly as given for Front of Pullover with "V" Neck to 91 sts. on needle. (36—95 sts.) (38—99 sts.) ending with purl row. (See page 34). Continue dec. 1. st. each end of needle on next and every alternate row to 83 sts. on needle. (36—87 sts.) (38—91 sts.). Continue even until armhole from first shaping measures $4\frac{1}{2}$ ins. (36—5 ins.) (38—5 ins.) ending with purl row.

To shape neck: K31. (36—K33) (38—K35). Turn. Leave remaining sts. on st. holder. Dec. 1. st. at neck edge every row to 21 sts. on needle. (36—23 sts.) (38—24 sts.). Continue even until armhole from first shaping measures 7 ins. (36—7 $\frac{1}{2}$ ins.) (38—7 $\frac{1}{2}$ ins.). Shape shoulder as given for Pullover with "V" Neck.

Leaving next 21 sts. on st. holder work remaining sts. to correspond to other shoulder. (*all sizes*).

BACK: Work exactly as given for Back of Pullover with "V" Neck but do not cast off sts. after shoulders are shaped, or break wool.

NECKBAND: Sew left shoulder seam. With No. 11 needles and right side of work facing knit across sts. at back of neck. Pick up and knit 30 sts. (36—34 sts.) (38—34 sts.) along left side of neck. Knit across sts. at front of neck. Pick up and knit 30 sts. (36—34 sts.) (38—34 sts.) along right side of neck. Work 1 inch ribbing (K1, P1). Cast off in ribbing.

SLEEVES: Work exactly as given for sleeves of Pullover with "V" Neck.

TO MAKE UP: Press all pieces carefully. Sew all seams. Sew pockets in position on wrong side.



F—LADY'S KNICKERS

Especially designed to slip on for extra warmth.

MATERIALS: 4 ply BEEHIVE FINGERING. 7 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 7 ozs. Two No. 12 and two No. 9 Beehive Knitting Needles. One Stitch Holder. Length of Elastic.

MEASUREMENTS: Length at side 21½ ins. Length of leg seam (from gusset) 6 ins. Width around waistline (stretched) 28 ins.

Tension: 7 sts. = 1 inch.

Check tension—see page 38.

FRONT: (Left Leg). With No. 12 needles cast on 72 sts. Work 2½ ins. ribbing (K1. P1). Change to No. 9 needles and proceed:—**1st row:** *K4. K2tog. Repeat from * to end of row. (60 sts. on needle). **2nd row:** K1. Purl to last st. K1. **Next row: Knit to last 2 sts. Inc. 1. st. in next st. K1. **Next row:** K1. Purl to last st. K1. Work 4 rows Stocking st. ** Repeat from ** to ** to 72 sts. on needle. Leave these sts. on st. holder.

Right Leg: Work as given for Left Leg, being careful to have increasings at beginning instead of end of row. Slip sts. from st. holder onto beginning of needle and knit across row thus joining both legs in centre of work. (144 sts. on needle). Proceed:—

1st and alternate rows: K1. Purl to last st. K1. **2nd row:** K1. K2tog. Knit to last 3 sts. K2tog. K1. **4th row:** K1. K2tog. K65. K2tog. K2. K2tog. K65. K2tog. K1. **6th row:** Knit. **8th row:** K1. K2tog. K63. K2tog. K2. K2tog. K63. K2tog. K1. **10th row:** Knit. **12th row:** K1. K2tog. K61. K2tog. K2. K2tog. K61. K2tog. K1. Work 5 rows even in Stocking st. Continue decreasing in this manner, next and every following 6th row to 106 sts. on needle. Continue even in Stocking st. until work measures 8 ins. from where sts. were joined, ending with purl row. Change to No. 12 needles. **1st row:** K2. *P1. K1. Repeat from * to end of row. Repeat 1st. row for 2 ins. **Next row:** (eyelets). K2. *W1. fwd. K2tog. P1. K1. Repeat from * to end of row. Repeat 1st. row for 1 inch. Cast off in ribbing.

BACK: Work exactly as given for Front to 144 sts. on needle. Work 10 rows even in Stocking st. ending with knit row. Repeat from *** to *** as given for Front.

To shape back: **1st row:** K96. Turn. **2nd row:** P86. Turn. **3rd row:** K76. Turn. **4th row:** P66. Turn. **5th row:** K56. Turn. **6th row:** P46. Turn. **7th row:** K36. Turn. **8th row:** P26. Turn. **9th row:** Knit to end of row. **10th row:** K1. Purl to last st. K1. Change to No. 12 needles and work waistband as given for Front.

GUSSET: With No. 9 needles cast on 2 sts. **1st row:** Inc. 1. st. in each st. **2nd row:** K1. P2. K1. Continue in Stocking st. inc. 1. st. each end of needle on next and every alternate row to 40 sts. on needle. Continue in Stocking st. dec. 1. st. each end of needle every alternate row to 2 sts. on needle. Cast off.

TO MAKE UP: Press all pieces carefully. Sew side seams. Sew in gusset. Sew leg seams. Thread elastic through eyelets at waist.

D—LADY'S GLOVES

MATERIALS: 4 ply BEEHIVE FINGERING. 2 ozs.

Alternative wool: 4 ply MISS CANADA FINGERING. 2 ozs. Set of 4 No. 13 "Aero" Steel Knitting Needles. (points at both ends).

MEASUREMENTS: Width all around hand at thumb 6½ ins.

Tension: 9 sts. = 1 inch.

Check tension—see page 38.

RIGHT GLOVE: Cast on 56 sts. (18. 18. 20). Work 3 ins. ribbing (K1. P1). Knit 4 rounds plain knitting. Proceed:—

To make gusset for thumb: **1st round:** P1. (Inc. 1. st. in next st. K1) twice. P1. Knit to end of round. ****Next 3 rounds:** Knit, purling the sts. which were purled in previous round. **5th round:** P1. Inc. 1. st. in next st. Knit to the 2 sts. before the next purl st. Inc. 1. st. in next st. K1. P1. Knit to end of round. ** Repeat from ** to ** until there are 18 sts. between the 2 purled sts. **Next 2 rounds:** Knit, purling the sts. which were purled in previous round. **Next round:** K1. Cast on 4 sts. Slip next 18 sts. onto a thread and leave for thumb. Knit to end of round. Knit 20 rounds. Proceed:—

To make fingers: **1st finger:** Knit first 5 sts. Slip all but last 11 sts. onto a thread. Cast on 3 sts. Knit last 11 sts. Divide these 19 sts. on 3 needles. Join in round. Knit 2½ ins. plain knitting. **Next round:** (K2tog.) 9 times. K1. Break wool. Thread end through remaining sts. Draw up and fasten securely. **Finish all fingers and thumb in same manner.**

2nd finger: Knit next 7 sts. of round. (Front of glove). Cast on 2 sts. Knit last 7 sts. of round and pick up and knit 3 sts. at base of 1st. finger. Divide these 19 sts. on 3 needles. Knit 3 ins. **Next round:** (K2tog.) 9 times. K1.

3rd finger: Knit next 7 sts. of round. Cast on 3 sts. Knit last 7 sts. of round and pick up and knit 2 sts. at base of 2nd finger. Divide these 19 sts. on 3 needles. Knit 2½ ins. **Next round:** (K2tog.) 9 times. K1.

4th finger: Knit remaining sts. from thread. Pick up and knit 4 sts. at base of 3rd finger. Divide these 16 sts. on 3 needles. Knit 2¼ ins. **Next round:** (K2tog.) 8 times.

The Thumb: Knit the 18 sts. which were left for thumb and pick up and knit 4 sts. at base of thumb. Divide these 22 sts. on 3 needles. **Next round:** Knit, dec. twice over the 4 sts. which were picked up at base of thumb. (20 sts. in round). Knit 2¼ ins. **Next round:** (K2tog.) 10 times.

LEFT GLOVE: Work as given for Right Glove until fingers are reached. Proceed:—

To make fingers: **1st finger:** Knit first 16 sts. Slip remaining sts. onto a thread. Cast on 3 sts. Divide these 19 sts. on 3 needles. Join in round. Finish finger and work remainder of glove as given for Right Glove beginning at back of glove to knit up sts. for remaining fingers.

BEFORE SENDING YOUR KNITTED GARMENT AWAY

PRESS ALL SWEATERS CAREFULLY WITH A DAMP CLOTH AND WARM IRON.

The best results are obtained if each piece is pressed before making up. Sew all seams carefully. Sew buttons securely. Sew a small label giving size of garment.

PUT SOCKS ON WOODEN SOCK STRETCHERS OF CORRECT SIZE.


PRESS WITH DAMP TOWEL AND WARM IRON.

LEAVE FLAT UNTIL DRY—DO NOT HANG THEM UP.

SEW LABEL IN EACH SOCK GIVING SIZE OF FOOT.

TIE THE TWO SOCKS TOGETHER.

GRAFTING



Divide the stitches equally on two needles. With the wool at one end and with the right side of work facing, break off the wool, leaving a length of several inches, and thread this through a wool needle. *Inserting the wool needle as if for knitting, into the first st. of the front needle, draw it through the st. and slip the latter off the needle: inserting the needle as if for purling, into the second st. of the front needle, draw the wool through and let the st. remain on the needle: taking the wool under the front needle and inserting the wool needle, as if for purling, into the first st. of the back needle, draw the wool through this st. and slip the latter off the needle: inserting the needle, as if for knitting, into the second st. of the back needle, draw the wool through and let the st. remain on the needle, bring the wool forward under the needle and repeat from * until all sts. are worked off, darning in the end of wool securely when finished.

GENERAL INFORMATION

Washing and Drying Woollen Garments

LUKEWARM WATER AND GOOD SUDS—USE GOOD MILD SOAP OR SOAP FLAKES. Dissolve sufficient quantity to make good lukewarm suds. Squeeze the suds gently through and through the garment until clean. Never rub a woollen garment. Keep garment supported by hands when removing from water, because the weight of the wet garment may stretch the yarn.

RINSING TWICE TO REMOVE ALL SOAP—Rinse twice in clean, lukewarm water, gently squeezing to REMOVE ALL SOAP. Keep garment supported by hands when removing from water.

REMOVE ALL MOISTURE—Never let the garment lie wet, but remove all moisture at once by rolling in a clean, thick towel.

DRY SLOWLY ON FLAT SURFACE—Remove garment from towel, lay on a flat surface AWAY FROM HEAT. Pin to required measurements using rustless pins.

PLAIN SOCKS—Follow the above instructions. Put on wooden stretchers. DO NOT HANG UP—dry on a flat surface.

**REMOVE ALL SOAP
REMOVE ALL MOISTURE
AFTER WASHING DON'T HANG UP
—DRY FLAT!**

Abbreviations

KNITTING—K=knit plain. P=purl. p.s.s.o.=pass slip stitch over. wl. fwd.=wool forward. tog.=together. ins.=inches. dec.=decrease. inc.=increase. t.b.l.=through back of loops.

The star symbol *—This indicates that the directions immediately following are to be repeated. When directions call for repeating a given number of times, it is understood this is in addition to the original. Thus, repeat 3 times means 4 times altogether.

To knit "even"—The row or work is knitted without increasing or decreasing.



Traduction Française des Abréviations et Points Employés

K=Tricoter à l'endroit. P=Tricoter à l'envers. p.s.s.o.=Passer la maille glissée par dessus. Wl. fwd.=Une maille jetée à l'endroit. Tog.=Ensemble. Ins.=Pouces. Dec.=Diminuer. Inc.=Augmenter. t.b.l.=Tricoter par derrière la maille.

To knit even—Tricoter sans augmenter ni diminuer. **The star symbol (*)**.—L'astérisque indique que les directions qui suivent doivent être répétées. Si on demande de répéter un certain nombre de fois, il est entendu que c'est en plus de l'original, tel que * répéter 3 fois veut dire 4 fois en tout.

ARMHOLE—Emmanchure. **NECK EDGE**—Encolure. **CAST OFF**—Rabattre. **GARTER STITCH**—Point de jarretière, tous les rangs à l'endroit. **STOCKING STITCH**—Point Jersey. Un rang à l'endroit. Un rang à l'envers.

On Duty with the Services



PATONS & BALDWIN'S **SUPER SERVICE YARN** *Non Shrink*

THIS ONE BALL OF YARN WILL
MAKE 1 PAIR OF SERVICE SOCKS
—obtainable in Khaki, Navy, Grey,
Air Force Blue and Black.

After weeks of careful experiment
before releasing this big ball of yarn
we feel we have produced the ideal
Yarn for Service Socks.

- It is Non Shrink.
- It is sturdy, yet soft.
- It will wear well.
- It will wash well.
- It will give the Service man
Foot Ease and Comfort.

Obtainable at your local
Wool Department or Store.



PATONS & BALDWIN'S, LIMITED • TORONTO, 10